

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

OCT 17 1947

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

October 13, 1947

Date

Midland, Texas

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

ROWAN DRILLING COMPANY SELETT Well No. 1-B-15 in the _____
Company or Operator Lease

NW of NE of Sec. 15, T. 22-S, R. 37-E, N. M. P. M.,
DRINKARD Field, _____ County.

The dates of this work were as follows: OCTOBER 10, 1947Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on OCTOBER 2, 19 47and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

5-1/2" casing was perforated from 6455' to 6480' and from 6490' to 6510' with 8 each 1/2" shots per foot. Well then acidized with 6000 gallons regular acid. Well now producing approximately 100 barrels per day. GOR 1101.

Witnessed by E. F. Lamb, ROWAN DRILLING COMPANY, DIVISION PRODUCTION SUPT.
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

13th day of October, 19 47Name E. F. Lamb,Position DIVISION PRODUCTION SUPERINTENDENT

Notary Public

Representing ROWAN DRILLING COMPANY
Company or OperatorMy commission expires June 1, 1949Address P. O. Box 1873, Midland, Texas


Remarks:

Name

Title

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	X
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Midland, Texas

September 30, 1947

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Rowan Drilling Company, Lease, Well No. 1-B-15 in NW of NE
of Sec. 15, T. 22-S, R. 37-E, N. M. P. M., Drinkard Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to re-perforate the 5-1/2" OD casing from 6455 to 6480' and 6490' to 6510' with 8 each 1/2" shots per foot. We then propose to acidize with 6000 gallons of regular acid. We have proposed this re-perforation job to increase production from the Drinkard Zone. The recovery of undamaged bullets from the well bore indicate the first perforation job not to be entirely successful.

Approved _____, 19____
except as follows:

ROWAN DRILLING COMPANY
Company or Operator

By E. F. Lamb
E. F. Lamb

Position Division Prod. Supt, W. Texas & N.M.
Send communications regarding well to

Name ROWAN DRILLING COMPANY

Address P. O. Box 1873,

Midland, Texas

OIL CONSERVATION COMMISSION,

By Ray [Signature]


Title Oil & Gas [Signature]

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

MISCELLANEOUS NOTICES



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work begins. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Mishawaka, Texas

Place

December 30, 1946

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Rowan Drilling Company Drickman Well No. 1-1-15 in of NE
Company or Operator Lease
of Sec. 15, T. 22-S, R. 37-E, N. M. P. M., Drickman Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

In an effort to eliminate the 25 water being produced by this well and to increase the production, we propose to kill the well in cement and plug the casing from T. D. of 6582' to 6445'. After the cement has set the perforations from 6400' to 6436' will be squeezed with 100 sacks of cement. The well will then be drilled out to 6445' and the squeezed section drilled out to determine the effectiveness of the cement job. If the cement job is satisfactory, the cement will be drilled out to 6520' on the casing re-perforated from 6430' to 6450' and from 6490' to 6510'. A production test will then be made and the well cement sized with 1000 gallons of acid, if necessary.

Approved JAN 6 1947, 19
except as follows:

OIL CONSERVATION COMMISSION,

By Ray H. Harkness
Title Oil & Gas Inspector

Rowan Drilling Company
Company or Operator
By Ray J. Harkness
Position Gen. Mgr.
Send communications regarding well to
Name Rowan Drilling Company
Address P. O. Box 1870
Mishawaka, Ind.