

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON SETTING CASING	X

March 14, 1949

Date

Midland, Texas

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Rowan Oil Company Elliott Well No. 4-B-15 in the _____
Company or Operator Lease
NE of NE of Sec. 15, T. 22S, R. 37E, N. M. P. M.,
Drinkard Field, Lea County.

The dates of this work were as follows: March 9, 1949

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on March 5 1949
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

We have run 215 jts, 6428', of 17#, 5½" J-55 casing, cemented with 105 sacks common cement. After cement was allowed to set 36 hrs, temperature survey found top at 5380'. Perforated at 5375', squeezed cement through perforations with 375 sacks cement. Final pressure 2500#. After cement set 24 hrs, ran temperature survey and found top of cement at 2725'. Will drill plug at 5375', test perforations with 2000#. Will drill to 6428', test casing with 1000# and will drill shoe and test with 1000#.

Witnessed by L. N. Addison Rowan Oil Company Division Production Sup't.
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

14th day of March 1949

Name L. N. Addison
Position Division Production Superintendent

[Signature]
Notary Public

Representing Rowan Oil Company
Company or Operator

My commission expires JUN 1 1949

Address Box 1873, Midland, Texas

Remarks:

Name

Title