


## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS

DUPLICATE



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Ronan Drilling Co., S. W. C. Midland, Texas Well No. 4 in the  
 Company or Operator Lease  
 NE 1/4 of 15 of Sec. 15, T. 1, R. 17-E, N. M. P. M.,  
Brinson Field, 20 County.

The dates of this work were as follows: August 11, 1946

Notice of intention to do the work was (was not) submitted on Form C-102 on                      19            
 and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilling of this well was initiated on August 11, 1946 at Midland, Texas.

Witnessed by Ray T. Burat Notary Public Midland, Texas  
 Name Company Title

Subscribed and sworn before me this 23

I hereby swear or affirm that the information given above is true and correct.

23 day of August, 1946Name Ray T. BuratPosition Notary PublicRepresenting Ronan Drilling Co.  
Company or OperatorMy commission expires 8-1-47Address Box 1070, Midland, Texas

Remarks:

APPROVED

Date SEP 12 1946


Ronan Drilling Co.  
 Name  
Oil & Gas Inspector  
 Title

**DUPLICATE**

# **OIL CONSERVATION COMMISSION**

Santa Fe, New Mexico

## **MISCELLANEOUS REPORTS ON WELLS**



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Date

Midland, Texas  
Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Rosen Drilling Company & N. O. Roberts Well No. 4 in the  
Company or Operator Lease  
Midland of Sec. 16, T. 17N, R. 17E, N. M. P. M.,  
Brinson Field, Midland County.

The dates of this work were as follows: August 11, 1947

Notice of intention to do the work was (was not) submitted on Form C-102 on 19  
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

### **DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED**

We have set 4 joints of 10-1/2" O.D. casing with cementless casing at 146 feet.  
(100.57')  
This casing was cemented with 100 sacks of "Union" cement. The cement  
was allowed to set 36 hours before drilling operations were resumed. The casing was  
tested satisfactorily.

Witnessed by Edna Carey

Name

Company

Division

Title

Incer

Subscribed and sworn before me this

I hereby swear or affirm that the information given above  
is true and correct.

27 day of August, 1947

Name

Position

Representing

Company or Operator

Notary Public

in and for Midland County, Texas

My commission expires

8-1-47

Address

Box 1172 Midland, Texas

Remarks:

APPROVED

DATE SEP 3 1947

Name

Edna Carey  
Title

NEW XICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Fort Worth, Texas

August 12, 1946

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,


Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as Rowan Drig Co. & N.G. Penrose Inc. Walden Well No. 4 in NE 1/4 of NW 1/4

Company or Operator Lease Field, Lea County.  
of Sec. 15, T 22-S, R 37-E, N. M., P. M., Brunson



The well is 660 feet XX (S.) of the North line and 2130 feet (E.) XX of the West line of Section 15

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is Ernest W. Walden  
Address Circle, Texas

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_

AREA 640 ACRES

LOCATE WELL CORRECTLY  
depth 6550'

We propose to drill well with drilling equipment as follows: Rotary to total

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Permanent Bond on file

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
13 3/4	10 3/4	32.75#	New	250	Cemented	250
9 7/8	7 5/8	24# & 26.4#	New	2800	Cemented	500
6 3/4	5 1/2	17#	New	On or thru pay	Cemented	600

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about \_\_\_\_\_ feet.

Additional information:

Est. Top Paddock Pay 5100  
Est. Top Drinkard Pay 6380

Approved AUG 20 1946, 19\_\_\_\_  
except as follows:

Sincerely yours,

Rowan Drilling Company  
Company or Operator

By [Signature]Position Vice-President

Send communications regarding well to


Name Rowan Drilling CompanyAddress Fort Worth, Texas

OIL CONSERVATION COMMISSION,

By Roy Yarbrough  
Title Oil & Gas Inspector

# SCOUT REPORT

## NEW MEXICO OIL CONSERVATION COMMISSION



Company Johnson & Penrose  
 Farm Name Patented A. Elden Well No. 4  
 Sec. 15 Twp. 22 Range 37 County Lea  
 Feet from Line: 60 N. 60 S. 2130 E. 130 W.  
 Elevation \_\_\_\_\_ Method 17  
 Contractor \_\_\_\_\_  
 Spudded \_\_\_\_\_ Completed 1-2-22

### AMOUNT CASING & CEMENTING RECORD

Size	Feet	Inches	Sax Cement
<u>7 5/8</u>	<u>2253</u>		

### TUBING RECORD

<u>2 3/8</u>	<u>1000</u>

PACKER \_\_\_\_\_

### ACID RECORD Gals.

	TA	TG
	TX	TSA
	TCA	TGI
	BX	TYo
	TY	TABo
	TSR	TPenn
Top Pay	TQ	TOrd

### SHOOTING RECORD

No. of Quarts	From	To
No. of Quarts	From	To
S/	S/	S/
S/	S/	S/
S/	S/	S/

Date		Date	
<u>8-28</u>	<u>Skidding Rig</u>		
<u>8-27</u>	<u>28283 3/4</u>		
<u>9-3</u>	<u>40182</u>		
<u>9-10</u>	<u>54552</u>		
<u>9-17</u>	<u>62952</u>		
<u>9-24</u>	<u>IN 6540; Complete</u>		
	<u>Perforate c.s.</u>		
<u>10-1</u>	<u>sig</u>		