# OIL CONSERVATION COMMISSION

UIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO.

Santa Fe, New Mexico

if tiplicate to the Oil Conservation Commission or its proper agent within ted. It should be signed and sworn to be fore a notary public for reports on bear

Subscribed and sworn 1  19th day of  My commission expires.  Remarks:	Notary Public  APPRILLE	Position Division Representing Con	dison, Production Super Drilling Company mpany or Operator 873, Eddland, Tex	cintendent
19th day of	Me Jaw Notary Public June (at 1940	Position Division Representing Con	Drilling Company mpany or Operator 873, Midland, Tex	cintendent
19th day of	de Jan	Position Division Representing Con	Production Super Drilling Company mpany or Operator	rintendent
19th day of	de Jan	Position Division Representing	Production Super Drilling Company	rintendent
	de Jan	Position Division	Production Super	rintendent
	1945	Position D. Ad	dison,	ν
	19 <u>48</u>			n given abov
Subscribed and sworn	* a			n given above
	before me this	I hereby swear or aff is true and correct.	irm that the information	
	Name	Company		Title
orr ordered peritiff	0-3/4" casing were secasing to surface and before and after dril	d allowed to set 24	hrs.	Cement wa
DE	posed plan was (was not) ob TAILED ACCOUNT OF Wo	otained. (Cross out incorre	ct words.) TS OBTAINED	
Notice of intention to do	o the work was (was not) su	ibmitted on Form C-102	on	19_
THE dates of this Work W	ere as iollows:inn = 20	1948		
	Field,		7.00	_
_ NW/4 of NW/4	of Sec. 15	T 22_C	n dan	
- Kowan Brilling C	lompany any or Operator	alden	Well No7	in t
Following is a report on	the work done and the results	s obtained under the headi	ng noted above at the	
OIL CONSERVATION ( SANTA FE, NEW MEX Gentlemen:	COMMISSION, ICO	Date	Pl	lace
	<u>July 19, 19</u>	Date	Midland, T	exas
=====	OF PLUGGING OF WELL			
PEDODE ON DEGITE		REPORT ON D	EEPENING WELL	
SHUT-OFF	OF WELL	REPORT ON F ALTERIN	PULLING OR OTHERW G CASING	ISE
REPORT ON RESULT		REPORT ON	REPAIRING WELL	
REPORT ON RESULT ( ICAL TREATMENT REPORT ON RESULT	NING DRILLING OPERA-	222222	DDDATE	

Form C-103

## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

# MISCELLANEOUS REPORTS ON WELLS

specified is completed. It should be signed and sworn to before a notary public for reports on beginning druling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other applicant of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

tions, even though the work was witnessed by an agent signed and sworn to before a notary public. See addition Indicate nature of		
REPORT ON BEGINNING DRILLING OPERA-	REPORT ON REPAIR	NG WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING ALTERING CASIN	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENI	NG WELL
REPORT ON RESULT OF PLUGGING OF WELL		
July 19, 194	Š	Midland, Texas
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen: Following is a report on the work done and the results	Date	Place
Rowan Drilling Company	well-	
Company or Operator	Lease	
NE/4 of NE/4 of Sec. 15 Hare (South) Field	T. 22-5 , R.	37-E, N. M. P. M.,
11010,		Lea County.
The dates of this work were as follows:	The Design of the Control of the Con	
Notice of intention to do the work was (************************************		
and approval of the proposed plan was (was not) ob  DETAILED ACCOUNT OF WO  We have set 2745' of 7-5/8 casing cemen  common cement.  Casing tested o.k. before and after dri	ork DONE AND RESULTS OBT	AINED
Witnessed byName	Comp <b>any</b>	Title
Subscribed and sworn before me this	Name Name	t the information given above
Suite D. thethin		ction Superintendent
Notary Public	Representing 20 an Drill	ing Company

Address .

Remarks: Grand Marks: Grand Mar

PILA GAS INSPENSE

Company or Operator

Sox 1873, Midland, Texas

COMMERCATION COMMISSION


Title

#### NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

### MISCELLANEOUS NOTICES

Submit this potice in triplicate to the Oil Conservation Commission or its proper agent before the begin. It copy will be returned to the sender on which will be given the approval, with any modified, or the rejection by the Commission or agent, of the plan submitted. The plan as approved, and work should not begin until approval is obtained. See additional instructions in the Rules the Commission.



Indicate nature of notice by checking below: NOTICE OF INTENTION TO TEST CASING NOTICE OF INTENTION TO SHOOT OR SHUT-OFF CHEMICALLY TREAT WELL NOTICE OF INTENTION TO PULL OR NOTICE OF INTENTION TO CHANGE PLANS OTHERWISE ALTER CASING NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO PLUG WELL NOTICE OF INTENTION TO DEEPEN WELL Widland, Texas Place OIL CONSERVATION COMMISSION. Santa Fe, New Mexico. Gentlemen: Following is a notice of intention to do certain work as described below at the Rowan Drilling Company Company or Operator Walden Well No. 7 inNW/4 of NW/4 Lease 37E , N. M. P. M., Hare (South) of Sec. **22S** Lea County. FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to set approximately 190' of 10-3/4" casing, cement to be circulated behind pipe to surface.

After cement has set 24 hrs, we will test with 1000# pump pressure before and after drilling plug.

JUL 2 3 1948

Approved, except as follows:	. 19	Rowen Filling Company Company of Operator
	В	
	P	L. M. Addison, osition Division Production Superintendent
•		Send communications regarding well to
OIL CONSERVATION COMMISSION,	N	ame Rowan Drilling Company
By OAS INSPECTOR	A	ddress Box 1873
Title		Midland, Texas

NEW MEXICO OIL CONSERVATION COMMISSION

OL CONSERVATION COMMISSION SANTA FE, NEW NEXT AND A SANTA FE, NEXT AND A S

Santa Fe, New Mexico

# JPLICA MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the will most field begin. A copy will be returned to the sender on which will be given the approval, with any modifications of advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

NOTICE OF INTENSHUT-OFF						
	NTION TO TEST CA	SING	NOTICE OF I	NTENTION TO SHO LLY TREAT WELI	OOT OR	
NOTICE OF INTEN	TION TO CHANGE	PLANS	NOTICE OF II OTHERW	NTENTION TO PUL ISE ALTER CASINO	L OR	
NOTICE OF INTEN	TION TO REPAIR	WELL	NOTICE OF I	NTENTION TO PLU	G WELL	
NOTICE OF INTENT	TION TO DEEPEN W	ELL	Notice of	Intention to se	t Casing	<u> </u>
	<del></del>		end, Texas		July 19,	1948
OIL CONSERVATIO			Place		Date	
Gentl <b>emen:</b>						
Following is a notice	of intention to do cer	rtain work as de	escribed below at	the		
Rowan Drill Company or Oper	ing Company	Lease	len	Well No. 7	in Nii/	4 of N
	, T. 228, I					
A contract of the contract of	Lea	County.		, , , , , , , , , , , , , , , , , , , ,		- 1014.
	w instructions		OPOSED PLAN			
offer cement ha	s set Af hrs. w	e will test	with 1000 P.	S.I. pump pres	sure befor	
most drilling						e and
cicer driffing	-					e and
elicer drilling						e and
after drilling						∍ and
arter drilling						∍ <b>and</b>
atter drilling						∍ <b>and</b>
	2 5 <b>194</b> 6	19	Eowan_Dr	rilling Company		end
NH.		, 19	TVI	cilling Company		end
approved		, 19	By A		on Superin	
pprovedxcept as follows:		., 20	By A. Position Div	Addison,	on Superingring well to	

#### NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

#### NOTICE OF INTENTION TO DRILL

30011	:C40	
City of the Principle Company of the Company		

Notice must be given to the Oil Conservation Commission or its proper agent and approval betained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval: See additional instructions in Rules and Regulations of the Commission.

			Fort Wor		Jun	e 8, 1948
	RVATION CO	MMISSION,	Place	<del>o</del>		Deve
entlemen:						
You	are hereby r	notified that it is ou	r intention to com	nence the drill	ing of a well to be k	nown as
	_				Vell No. 7	•
	Compan	y or Operator		Lease		
Sec. 15	, т2	22-S , R 37-E	_, N. M., P. M., II	ere, South	Field, Lea	County.
	N	The well is	990 feet (	f.) (S.) of the	e North line an	d 330 feet
ob		(E.) (E.) o:	f the West	line of Se	c. 15 T-22-S R	-37-B
307		(Give le	ocation from section	n or other leg	al subdivision lines.	Cross out wrong
		If state land	the oil and gas lea	ase is No	Assignment	No
		If patented	land the owner is.	Ermest i	/. Walden	
		Address		Circle,	Texas	
		If governme	nt land the permit	tee is		
		Address				
		The lessee is				
AREA	640 ACRES	Address				
	LL CORRECTI				nt as follows: Rota	mr from
						•
	Size of	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks
Size of Hole	Uasing					Coment
Hole	Casing	) 29.75	Now	1 25 1		
Hole 3-3/4"	10-3/4 of		New New	<b>15</b> 0 28 <b>0</b> ට	Cemented	250 sx
Hole 3-3/4" 9-7/8		26.40	New New New	2800 7400	Cemented	
Hole 3-3/4" 3-7/8	10-3/4 of 7-5/8 of	26.40	New	28ാ	1	250 sx 500 sx
Hole 3-3/4" 9-7/8	10-3/4 of 7-5/8 of	26.40	New	28ാ	Cemented	250 sx 500 sx
Hole 3-3/4" 9-7/8 6-3/4 changes in	10-3/4 of 7-5/8 of 5-1/2 of the above place	26.40 17.00 lb.	New New we will notify you	2890 7400 before cementi	Cemented Cemented  ng or landing casing.	250 sx 500 sx 600 sx
Hole  3-3/4" 9-7/8 5-3/4  changes in e first prodditional in	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of	2890 7400 before cementi	Cemented Cemented  ng or landing casing.	250 sx 500 sx 600 sx
Hole 3-3/4" 9-7/8 5-3/4  changes in e first prodditional in	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or aformation:	26.40 17.00 lb.	New New we will notify you cur at a depth of	2890 7400 before cementi	Cemented Cemented  ng or landing casing.	250 sx 500 sx 600 sx
Hole 3-3/4" 9-7/8 5-3/4  changes in e first prodditional in	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of	2890 7400 before cementi about 7,	Cemented Cemented  ng or landing casing.  350 feet.	250 sx 500 sx 600 sx
Hole  3-3/4" 9-7/8 5-3/4  changes in e first prodictional in proved	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or aformation:	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of	2890 7400 before cementi about 7,	Cemented Cemented  ng or landing casing.  350 feet.	250 sx 500 sx 600 sx
Hole  3-3/4" 9-7/8 5-3/4  changes in e first prodictional in proved	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or aformation:	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of	2890 7400 before cementi about 7,	Cemented Cemented  ng or landing casing.  350 feet.	250 sx 500 sx 600 sx
Hole 3-3/4" 9-7/8 5-3/4  changes in e first prodditional in	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or aformation:	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of  Sincer By	2890 7400 before cementi about 7,	Cemented Cemented  ing or landing casing.  350 feet.  Company or operator  Company or Operator	250 sx 500 sx 600 sx
Hole  3-3/4" 9-7/8 5-3/4  changes in e first prodditional in proved except a	10-3/4 of 7-5/8 of 5-1/2 of the above pla ductive oil or aformation:	26.40 17.00 lb. In become advisable gas sand should occ	New New we will notify you cur at a depth of  Sincer By Positio	2890 7400  before cementicabout 7,  ely yours,  Rowan L	Cemented Cemented  ing or landing casing.  350 feet.  Company or operator  Company or Operator	250 sx 500 sx 600 sx
Hole  3-3/4" 9-7/8 6-3/4  changes in the first prodditional in the proved except a	10-3/4 of 7-5/8 of 5-1/2 of the above plaductive oil or aformation:	26.40 17.00 lb.  In become advisable gas sand should occurred to the same advisable gas sand should be same advisable gas s	New New we will notify you cur at a depth of  Sincer By Positio Send of	2800 7400  hefore cementications  Rowan D  Carlogications	Cemented Cemented  ng or landing casing.  350 feet.  Company or Operator  Collection	250 sx 500 sx 600 sx