STATE OF NEW MEXICO

ENERGY AND MINERALS DEPARTMENT OIL CONSERVATION DIVISION ---Form C-103 P. O. BOX 2088 Revised 10-1-78 DISTRIBUTION SANTA FE, NEW MEXICO 87501 BANTA FE 5a. Indicate Type of Leuse FILE State X Foo U.1.0.8. LAND OFFICE 5. State Oil & Gas Lease No. OPERATOR B-3480-1 SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL ON TO OFFERN ON PLUG BACK TO A DIFFERENT RESERVOIR.

USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.) 7. Unit Agreement Name WELL X OTHER-8. Farm or Lease Name 2. Name of Operator R. E. Cole (NCT-A) Gulf Oil Corporation 9. Weil No. 3. Address of Exerctor 88240 P. O. Box 670, Hobbs, NM 10. Field and Pool, or Widcat 4. Location of well . 1980 FEET FROM THE SOUTH LINE AND 660 FEET FROM 16 15. Elevation (Show whether DF, RT, GR, etc.) 12. County Lea 3408 GL Check Appropriate Box To Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PLUG AND ABANDON PERFORM PEMESIAL WORK COMMENCE DRILLING OPHS. CHARLLY ABANDON CASING TEST AND CEMENT JQB CHANGE PLANS

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

POH with production equipment. Set CIBP at 3477'. Circulate hole with abandonment mud. Spot 35' cement on CIBP. Spot 100' cement plug 3050'-2950'. Tag cement plug at 2490'. Perf 1200' with (4) 2" 90° phased JHPF. Set cement retainer at 1136'. Pump 300 sacks Class "C" neat into perfs at 1200'. Circulate hole with abandonment mud. CI 16 hours. WOC. TOC by temperature survey at 350'. Found cement in casing at 701'. Pump surface plug 94' to surface. Set dry hole marker; clear and clean location. P&A Complete 3-1-81.

. I hereby ceruly that the information above is true and con	splete to the best of my knowledge and belief.		
R.D. Pite	Area Engineer	DATE	3-10-81
and latentonies	Oil, a GAS ENSPECTOR	DATE 1	JN 4 1981
ONDITIONS OF APPROVAL, IF ANY:	•		