Submit 3 Copies to Appropriate District Office

## State of New Mexico Energy, nerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240 OIL CONSERVATION DIVISION				WELL API NO. 30-025-10326			
DISTRICT II P.O. Drawer DD, Artesia, NM 88210  2040 South Pacheco				5. Indicate Type of Lease			
Santa Fe, NM 87505				STATE X FEE □			
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410				6. State Oil & Gas Lease No. B-3480			
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  (FORM C-101) FOR SUCH PROPOSALS)				7. Lease Name or Unit Agreement Name			
I. Type of Well: OIL GAS				Cole State			
WELL WELL OTHER  2. Name of Operator Zia Energy, Inc.				8. Well No.			
2. Name of Operator 27th Effort, The.				6			
3. Address of Operator PO Box 2510, Hobbs, NM 88241				9. Pool name or Wildcat Eumont YSRQ			
4. Well Location				<b></b>	····		
Unit Letter <u>B</u> : <u>660</u> Feet From	m The <u>North</u>	line and	1 <u>1980</u> Fee	et From The	East	line	
Section 16 TOWNSI	HIP <u>22S</u> Rar	ige <u>37E</u>	NMPM	Lea		Cour	nty
1 The same of the	10. Elevation (Show w 3417' DF	hether DF, R	KB, RT, GR, etc	:)			
11. Check Appropr NOTICE OF INTENTION TO:	iate Box to Indicate N	ature of Notic		her Data UENT REP			
PERFORM REMEDIAL WORK  PŁUG	AND ABANDON X	REMEDIAL V	WORK		ALTERING	CASING	
TEMPORARILY ABANDON   CHAN	NGE PLANS	COMMENCE	DRILLING OPNS.		PLUG AND	ABANDONMEN	
PULL OR ALTER CASING		CASING TES	T AND CEMENT J	юв 🗆			
OTHER:		OTHER:					
12. Describe Proposed or Completed Operation work) SEE RULE 1103.	ms (Clearly state all pert	inent details, a	nd give pertinent d	ates, including	estimated date	of starting any p	roposed
<ol> <li>Dump 35' cement on CIBP at</li> <li>Set CIBP at 3400', load hole v CIBP (25 sacks if by tubing).</li> <li>Perforate at 1190' (top of anhy</li> <li>Spot 25 sacks from 276' to 40</li> <li>Spot 10 sacks at surface.</li> <li>Cut casing off 3' below surface</li> <li>Cut off anchors and clean local</li> </ol>	with 10 ppg brine with 10 ppg brine wydrite), pump a 25 00' (across surface see and weld on dry	w/ 25 lbs g sack plug shoe) (124	el/bbl, dump from 1190' to l'). Tag ceme	o 1036' (1:		th dump bai	ler on
I hereby certify that the Information above is true and composition in the Information above in the Information abo	olete to the best of my knowledge		ngineer		<del></del>	8/10/98 o. (505) 393	3-2937
(This space for State Use)  ORIGINAL SIGNED BY  DISTRICT I SU  CONDITIONS OF APPROVAL, IF ANY:	CHRIS WILLIAMS PERVISOR	TITLE			DATE AL	IG 10 199	18



