

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-10327
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B 3480
7. Lease Name or Unit Agreement Name GULF STATE
8. Well No. 1
9. Pool name or Wildcat Blinebry
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3414' GR

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator DEKALB Energy Company	3. Address of Operator 1625 Broadway Denver, Colorado 80202
4. Well Location Unit Letter C : 860 Feet From The North Line and 1980 Feet From The West Line Section 16 Township 22S Range 37E NMPM Lea County	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3414' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. MIRUSU.
2. TIH w/bit and drill collars. Drill out BP @ 5566'. Clean out to ±6100'.
3. Make guage run. Set CIBP @ ±6100'. Cap with cement.
4. Perforate 5855-70', 5898-5912' and 5923-50' with 3-1/2" csg gun, 2 spf.
5. TIH w/tbg & pkr. Set pkr @ ±5800'. Swab well.
6. Acidize w/3000 gal 15% HCL. Est 5 bpm @ 250#.
7. Swab tst & evaluate. Run tbg & rods to pump from ±6100'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R. L. Flowers, Jr. TITLE District Superintendent DATE 2-7-92  
TYPE OR PRINT NAME R. L. Flowers, Jr. TELEPHONE NO. (303) 592-46

(This space for State Use)

APPROVED BY Paul Kautz, Geologist TITLE Geologist DATE FFB 11 1992

CONDITIONS OF APPROVAL, IF ANY: