Form 9–331
Dec. 1973

Form Approved.
Budget Bureau No. 42–R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)

1. oil well [X] gas well [ ] other

2. NAME OF OPERATOR
Zia Energy, Inc.

3. ADDRESS OF OPERATOR
P.O. Box 2219, Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1650' FNL & 1650' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: Same as above

5. LEASE
NM-1410

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal

9. WELL NO.
2

10. FIELD OR WILDCAT NAME
Eunice San Andres-Southwest

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
17-T22S-R37E

12. COUNTY OR PARISH
Lea

13. STATE
NM

14. API NO.
30-025-10339

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3404' GR

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	[ ]	[ ]
FRACTURE TREAT	[X]	[ ]
SHOOT OR ACIDIZE	[ ]	[ ]
REPAIR WELL	[ ]	[ ]
PULL OR ALTER CASING	[ ]	[ ]
MULTIPLE COMPLETE	[ ]	[ ]
CHANGE ZONES	[ ]	[ ]
ABANDON*	[ ]	[ ]
(other)		

(NOTE: Report results of multiple completion or zone change on Form 9–330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rig up well servicing unit. Pull rods & Pump.
2. Tag bottom & tally out with tubing.
3. Rig up & perforate 1 JS @ 3823', 3825', 3827', 3831', 3833', & 3835'.
4. TIH w/2 & 7/8" tbg. & pkr. Set pkr @ 3860' BD perfs w/1500 GA.
5. Fracture treat perfs using 40,000 GGB & 60,000 # sand.
6. TOH & lay down 2 & 7/8" tbg & pkr.
7. TIH w/2 & 3/8" tbg., rods, & pump.
8. Place well back on production to recover load water.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED M E Nelson TITLE Engineer DATE 8/6/84

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side