

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-934

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Humble Oil & Refining Company	8. Farm or Lease Name N. M. State M
3. Address of Operator Box 2100, Hobbs, New Mexico	9. Well No. 24
4. Location of Well UNIT LETTER 0 660 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 19 TOWNSHIP 22S RANGE 37E N.M.P.M.	10. Field and Pool, or Wildcat LANGLIE MATTIX
15. Elevation (Show whether DF, RT, GR, etc.) 3424 RDB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/> *	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>
OTHER *Additional Recovery Area R-2891 of 4-8-65			

17. Describe the Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Presently a producing well to be converted to an injection well.

1. Perforate with one selectively fired radioactive jet at each of the following depths: 3617, 3619, 3622, 3626, 3634, 3636, 3644, 3678, 3688, 3762, 3766, 3782, 3784 feet.
2. Acidize perforations at 3762, 3766, 3782, 3784 with 500 gallons of N.E. acid.
3. Frac down 2-7/8-inch casing with 10,000 gallons slick water with 1# sand per gallon using ball sealers.

Place well on injection.

/mcb

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. H. Davis TITLE Dist. Admin. Supvr. DATE 4-19-65

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY: