

RECORD OF DRILL-STEM AND SPECIAL TESTS
IF DRILL-STEM OR OTHER SPECIAL TESTS OR DEVIATION SURVEYS WERE MADE, SUBMIT REPORT ON SEPARATE SHEET AND ATTACH HERETO

TOOLS USED

ROTARY TOOLS WERE USED FROM 0 FEET TO 3750 FEET, AND FROM FEET TO FEET.
CABLE TOOLS WERE USED FROM FEET TO FEET, AND FROM FEET TO FEET.

PRODUCTION

PUT TO PRODUCING February 1, 1961

OIL WELL: THE PRODUCTION DURING THE FIRST 8 HOURS WAS 60 BARRELS OF LIQUID OF WHICH 100 %
WAS OIL; % WAS EMULSION; % WATER; AND % WAS
SEDIMENT. A.P.I. GRAVITY 38.9°

GAS WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS M.C.F. PLUS
BARRELS OF LIQUID HYDROCARBON. SHUT IN PRESSURE LBS.

LENGTH OF TIME SHUT IN

PLEASE INDICATE BELOW FORMATION TOPS (In Conformance With Geographical Section Of State):

SOUTHEASTERN NEW MEXICO

NORTHWESTERN NEW MEXICO

T. ANHY	T. DEVONIAN	T. OJO ALAMO
T. SALT	T. SILURIAN	T. KIRTLAND-FRUITLAND
B. SALT Rustler 1163	T. MONTOYA	T. FARMINGTON
T. YATES 2710	T. SIMPSON	T. PICTURED CLIFFS
T. 7 RIVERS 2833	T. McKEE	T. MENESEE
T. QUEEN 3424	T. ELLENBURGER	T. POINT LOOKOUT
T. GRAYBURG Penrose 3540	T. GR. WASH	T. MANCOS
T. SARABAND Grayburg 3728	T. GRANITE	T. DAKOTA
T. GLORIETA	T.	T. MORRISON
T. DRINKARD	T.	T. PENN
T. TUBBS	T.	T.
T. ABO	T.	T.
T. PENN	T.	T.
T. MISS	T.	T.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION	FROM	TO	THICKNESS IN FEET	FORMATION
0	1030	1030	Red bed				
1030	1280	250	Red bed and anhydrite.				
1280	2652	1372	Anhydrite and salt.				
2652	3626	974	Anhydrite and gyp.				
3626	3747	121	Lime and sand.				
3747	3750	3	Lime.				
	T.D.						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I HEREBY SWEAR OR AFFIRM THAT THE INFORMATION GIVEN HERewith IS A COMPLETE AND CORRECT RECORD OF THE WELL AND ALL WORK DONE ON IT SO FAR AS CAN BE DETERMINED FROM AVAILABLE RECORDS.

March 8, 1961

COMPANY OR OPERATOR Humble Oil & Refining Company ADDRESS Box 2347, Hobbs, New Mexico (DATE)
NAME *[Signature]* POSITION OR TITLE Agent