

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Los Cruces

Lease No. 032573(a)

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	☒	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

E. H. ELLIOTT NO. 4

FEBRUARY 1944

, 1944

Well No. 4 is located 910 ft. from N line and 2280 ft. from E line of sec. 22

NE 1/4 of NW 1/4 SEC. 22 22-S 37-E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

DRINKLAND LEA NEW MEXICO
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

IT IS OUR INTENTION TO DRILL A WELL WITH ROTARY TOOLS AT THE ABOVE LOCATION TO A DEPTH OF APPROXIMATELY 6500 FEET, UNLESS COMMERCIAL PRODUCTION IS ENCOUNTERED AT A LESSER DEPTH. LOCATION INDICATED IS REQUESTED IN ORDER TO LOCATE THIS WELL AS FAR AS PRACTICABLE FROM OUR WELL NO. 2, NOW PRODUCING FROM SHALLOW HORIZON AND THEREBY PREVENT UNDERGROUND WASTE BY CONTAMINATION THROUGH DRILLING. ALL CASING WILL BE CEMENTED IN ACCORDANCE WITH METHODS APPROVED BY THE UNITED STATES GEOLOGICAL SURVEY. ANY OTHER SPECIAL REQUIREMENTS WILL BE COMPLIED WITH. THE FOLLOWING CASING PATTERNS WILL BE USED. (SEE BACK).

13-3/8" OD CASING TO BE SET AT APPROXIMATELY 250 FEET AND CEMENTED WITH 285 SACKS.

9-5/8" OD CASING TO BE SET AT APPROXIMATELY 2750 FEET AND CEMENTED WITH 1500 SACKS.

7" OD CASING TO BE SET AT APPROXIMATELY 6500 FEET AND CEMENTED WITH 850 SACKS.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ARTHUR G. CARTER FOUNDATION

Address P. O. BOX 931,

DEMMIT, TEXAS.

By Lee E. Carter


Title FIELD MANAGER

OF WELL NO. 2.
REQUESTED AS FURTHER AND INVASION MAY CAUSE PERMANENT ABANDONMENT
AS FAR AS POSSIBLE FROM WELL NO. 2 AND THE PROPOSED LOCATION IS
NO. 2 TO WELL NO. 2. AT THE SAME TIME AS TO LOCATE WELL NO. 4
ORABONG FORMATION REACHED SURFACE AND INVESTIGATION FROM WELL
2, LOCATED 214 FEET NORTHEAST OF WELL NO. 2, PRODUCING A NEW GASE-
AFTER DRILLING THROUGH THE GREEN-SHAYUNG HORIZON IN ELLIOT NO.

AMON G. CARTER FOUNDATION
 E. M. ELLIOTT LEASE
 N/2 NW/4 SECTION 22
 T-22-S R-37-E
 LEA COUNTY, NEW MEXICO
 SCALE: 1" = 600'

LOCATION FOR ELLIOTT NO. 4

I, H. F. Johnson, hereby certify above
 survey was made by me and is correct
 H. F. Johnson
 License No. 918



LAS CRUCES 032573

