CASING RECORD											
SIZE	weight Per poor	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED	PERFORATED		PURPOS		
							FROM	то			
13-3/8	48#	88	Smls.	309 '							
9-5/ 8	36#	8	Smle	28631							
7	23#	8	Smls	63401							

No. 6, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

MUDDING AND CEMENTING RECORD - 14 M-CASING NO. SACKS OF CEMENT METHOD USED MUD GRAVITY AMOUNT OF MUD USED WHERE SET 3091 300 Howco 28631 1300 Howco 6340' 8-3/4 700 Howco

_____Depth Set___

Heaving plug -- Material___ Adapters---Material ___ _Size_

PLUGS AND ADAPTERS

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		H O L	5000	6-4-46	64061	

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 6 feet to 6420 feet, and from feet to feet Cable tools were used from _____feet to _____feet, and from _____feet to _____feet

PRODUCTION

Put to producing June 6 19 46 The production of the first 24 hours was barrels of fluid of which 97 % was oil; % Rock pressure, lbs. per sq. in.____

EMPLOYEES

_____, Driller _______ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this____

Position ____ General Superintendent

Address Box 661 Tulse

Representing Gulf Oil Corporation Company or Operator

My Commission expired March 16, 1948

No. 2, from.

O 70 980 1343 3405 3483 6420 Surface rock Red bed Salt and shale Salt and anhydrite Anhydrite Line (TOTAL DEPTH)	wasan waka sana a sa sa sa
	•