

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	X
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

October 25, 1954
 (Date)

Jal, New Mexico
 (Place)

Following is a report on the work done and the results obtained under the heading noted above at the

R. OLSEN OIL COMPANY

(Company or Operator)

Boyd

(Lease)

Company Unit

(Contractor)

Well No. 1 in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 23

T. 22S, R. 37E, NMPM, Drinkard Pool, Lea County.

The Dates of this work were as follows: 10-2-54 to 10-18-54

Notice of intention to do the work (was) (~~was~~) submitted on Form C-102 on September 16, 1954,
 (Cross out incorrect words)

and approval of the proposed plan (was) (~~was~~) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Set Baker Bridge Plug at 6250' with 25 sx. cement on top. Perforated zone from 5060'-5075' with 4 shots/ft. Tested salt water. Squeezed zone with 350 sxs of cement before getting good squeeze job. Perforated zone 4988'-90'; 4992'-96' and 5001'-5025' with 4 shots/ft. Acidized with a total of 10,500 gals of acid in different stages but failed to get commercial production from Paddock. Cement squeezed perforations 4988'-90'; 4992'-96' and 5001'-5025' with 400 sxs of cement with final squeeze pressure of 5000 lbs. Drilled cement plug and bridge plug at 6250' and completed well again in Drinkard pay through open hole from 6333' to 6419'.

Now completed in Drinkard oil zone as before repair.

Witnessed by DEWEY WATSON
 (Name)

R. OLSEN OIL COMPANY
 (Company)

Geological Engineer
 (Title)

Approved: OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Dewey Watson

Position Geological Engineer

Representing R. OLSEN OIL COMPANY

Address Box 691 - Jal, N.M.

(Title)

(Date)