

IF DRILL-STEM OR OTHER SPECIAL TESTS OR DEVIATION SURVEYS WERE MADE, SUBMIT REPORT ON SEPARATE SHEET AND ATTACH HERETO

TOOLS USED

ROTARY TOOLS WERE USED FROM 0 FEET TO 3765 FEET, AND FROM FEET TO FEET.
CABLE TOOLS WERE USED FROM FEET TO FEET, AND FROM FEET TO FEET.

*Driller's Total Depth

PRODUCTION

PUT TO PRODUCING June 25, 19 61

OIL WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS 64 BARRELS OF LIQUID OF WHICH 95 %
WAS OIL; % WAS EMULSION; 5 % WATER; AND % WAS
SEDIMENT. A.P.I. GRAVITY 33.9°

GAS WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS M.C.F. PLUS
BARRELS OF LIQUID HYDROCARBON. SHUT IN PRESSURE LBS.

LENGTH OF TIME SHUT IN

PLEASE INDICATE BELOW FORMATION TOPS (In Conformance With Geographical Section Of State):
SOUTHEASTERN NEW MEXICO NORTHWESTERN NEW MEXICO

T. ANHY	T. DEVONIAN	T. OJO ALAMO
T. SALT	T. SILURIAN	T. KIRTLAND-FRUITLAND
B. Rustler 1220	T. MONTOYA	T. FARMINGTON
T. YATES 2840	T. SIMPSON	T. PICTURED CLIFFS
T. 7 RIVERS 2955	T. McKEE	T. MENESEE
T. QUEEN 3549	T. ELLENBURGER	T. POINT LOOKOUT
T. Penrose 3683	T. GR. WASH	T. MANCOS
T. SAN ANDRES	T. GRANITE	T. DAKOTA
T. GLORIETA	T.	T. MORRISON
T. DRINKARD	T.	T. PENN
T. TUBBS	T.	T.
T. ABO	T.	T.
T. PENN	T.	T.
T. MISS	T.	T.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION	FROM	TO	THICKNESS IN FEET	FORMATION
0	750	750	Red Bed				
750	1282	532	Red Bed & Anhydrite				
1282	2725	1443	Salt & Anhydrite				
2725	3570	845	Anhydrite & Gyp				
3570	3765	195	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I HEREBY SWEAR OR AFFIRM THAT THE INFORMATION GIVEN HEREWITH IS A COMPLETE AND CORRECT RECORD OF THE WELL AND ALL WORK DONE ON IT SO FAR AS CAN BE DETERMINED FROM AVAILABLE RECORDS.

August 25, 1961

COMPANY OR OPERATOR Humble Oil & Refining Company ADDRESS Box 2347, Hobbs, New Mexico (DATE)
NAME POSITION OR TITLE Agent