Submit 3 Copies to Approriate District

## State of New Mexico Energy, Minerals and Natural Resouces

Office		

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

Other

OH CONSERVATION DIVISION

	FOR	M	C-103
Revised	March	25	, 1999

DISTRICT II	OIL CONSERVATION	N DIVISION	WELL API NO.		
811 South First, Artesia, NM 88210	1220 South St. Francis Drive		30-025-10555		
DISTRICT III	Santa Fe, NM 8	37505	5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	*		STATE ✓ FEE		
DISTRICT IV			6. State Oil & Gas Lease No.		
1220 South St. Francis Dr., Santa Fe, NM 8750	J5				
SUNDR	Y NOTICES AND REPORTS ON WEL	LLS			
(DO NOT USE THIS FORM FOR	PROPOSALS TO DRILL OR TO DEEPEN OR F "APPLICATION FOR PERMIT" (FORM C-101)	PLUG BACK TO A	7. Lease Name or Unit Agreement Name		
PROPOSALS.)			Skelly Penrose A Unit		
1. Type of Well:			Sherry 1 chiese 11 Chie		
OIL WELL	GAS WELL OTHER	Injection Well			
2. Name of Operator			8. Well No.		
Apache Corporation			8		
3. Address of Operator			9. Pool name or Wildcat		
2000 Post Oak Blvd., Ste. 1	00. Houston, Texas 77056-4400		Langlie-Mattix; 7Rivers-Queen-Grayburg		
Unit Letter N	: 660 Feet From The South	Line and 1980	Feet From The West Line		
Section 33	Township 22S Range 3	7E NMPM	1 Lea county		
	10. Elevation (Show whether DF, RKB, I 3336' GR	RT, GR, etc.)			
11.		to Indicate Nature of Notice,	Parasta and Dis		
	INTENTION TO:				
Noticeor	INTENTION TO.	J SUB	SEQUENT REPORT OF:		
Perform Remedial Work	✓ Plug and Abandon	Remedial Work	Altering Casing		
Temporarily Abandon	Change Plans	Commence Dril	ling Operations		
Pull or Alter Casing		Casing Test and	d Cement Job		

- 12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
  - 1.) Spot cement plug 3425' - 3525' w/ 55 sx - Tag top of plug
  - 2.) Spot cement plug 3225' - 3325' w/ 55 sx - Tag top of plug
  - 3.) Spot cement plug 2374' - 2474' w/ 55 sx - Tag top of plug
  - Perforate 7" casing @ 1350'. Set cement retainer @ 1320'. Cement squeeze behind 7" casing w/ 300 sx 4.) circulating to surface. Top cement retainer w/ 100 sx. Tag top of plug @ +/- 1130'.

Other

- Spot cement plug @ 250' to surface w/ 135 sx. 5.)
- 6.) Install P&A marker.

BALANDARY ON A PARTY OF THE SAME TAR HOUSE THE THE RESERVE OF THE CASE OF C TO BE APPROYEL

			1,000		
$\sim$ $\sim$	ove is true and complete to the best of my kno	owledge and belief.			
SIGNATURE	Jay June	A LOV TI	Sr. Engineerin	g Technician DATE	2/5/01
THE CATTERN THANK	ra Angerson		<u> </u>	TELEPHONE NO.	713-296-6338
(Thus space for State Use) APPROVED BY	Frank	THILE -	d Les	DATE	XIII
CONDITIONS OF APPROVAL, IF AN			2.3	760	