

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

Notice of Intention to Drill

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

RECEIVED
HOBBS OFFICE

Hobbs, New Mexico

Dec. 14, 1939

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.
Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

SKELLY OIL COMPANY

King "A"

Well No. 3 in CSE SW

of Sec. 33, T. 22, R. 37, N. M. P. M., Skelly Field, Lea County

N.

The well is 680 feet (N.) (S.) of the South line and 1980 feet (E.) (W.) of the West line of Section 33-22-37

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____, Assignment No. _____

If patented land the owner is B. L. King

Address Eunice, New Mexico

If government land the permittee is _____

Address _____

The lessee is Skelly Oil Co.

Address Tulsa, Oklahoma

AREA 640 ACRES
LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Cable tools top to bottom. Contractor to be J. C. Clower, Eunice, New Mex.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: _____

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
18"	16" OD	70#	SH	125'	Cemented	100
15"	13"	40#	SH	430'	Landed	
11 1/4"	10-3/4"	40#	SH	710'	Landed	
9-1/4"	8-5/8"	32#	SH	1170'	Landed	
8-1/4"	7"	20#	New	3400'	Cemented	200

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3550 feet.

Additional information: In cementing the 16" OD casing the cement will be circulated back into the bottom of the cellar. At time the 7" OD casing is set and cemented the 13", 10-3/4" and 8-5/8" OD Casing will be pulled.

Approved _____, 19____

except as follows:

Sincerely yours,

SKELLY OIL COMPANY

Company of Operator

By

Position

Send communication regarding well to

Name

Address

District Superintendent

Skelly Oil Co.

Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By

Title

OIL & GAS INSPECTOR

1917

1918

1919

1920

1921

1922

1923

1924

1925

1926

1927

1928

1929

1930

1931

1932

1933

1934

1935

1936

1937

1938

1939

1940

1941

1942

