

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL		

Hobbs, New Mexico

Dec. 7, 1939

Place

Date

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

SKELLY OIL CO.

H. O. Sims

Well No. 6

in the

Company or Operator

Lease

CNE SW

of Sec. 34

T. 22S

R. 37E

N. M. P. M.,

Skelly

Field,

Lea

County

The dates of this work were as follows:

December 4, 1939

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on December 5, 1939 and approval of the proposed plan was (~~obtained~~) obtained. (Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

After allowing cement to set 72 hours, drilled plug and tested for casing shut-off in 7" OD casing, set by Halliburton Process at 3378' - casing shut-off tested OK. Now drilling ahead.

Witnessed by W. K. Byron J. C. Clower Drlg. Foreman
Name Company Title

Subscribed and sworn to before me this

I hereby swear or affirm that the information given above is true and correct.

7 day of December, 1939

Name

Position

Representing

Address

District Supt.

SKELLY OIL CO.

Company or Operator

Hobbs, New Mexico

My Commission expires Dec. 10, 1940

Remarks:

Roy Garbrough
Name

OIL & GAS INSPECTOR

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commissioner or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO STOP OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PUMP OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL		NOTICE OF INTENTION TO STOP WELL	

Hobbs, New Mexico

Dec. 5, 1939

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

SKELLY OIL COMPANY **H. O. Sims** Well No. **6** in **CNE SW**
 Company or Operator Lease
 of Sec. **34**, T. **22S**, R. **37E**, N. M. P. M., **Skelly** Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Drilled to 3378' and ran and cemented 7" OD casing on bottom with 200 sx cement & 2 sx Aquagel - Halliburton Process. Will let set 72 hours and on Thursday, December 7, 1939, at approximately 3:00 A. M. will drill plug and test for casing shut-off..

DEC 7 - 1939

Approved _____, 19____
except as follows:

OIL CONSERVATION COMMISSION,

By **Roy Garbrough**
Title **OIL & GAS INSPECTOR**

SKELLY OIL COMPANY

Company or Operator

By **J. A. Kinnear**
Position **District Supt.**

Send communications regarding well to

Name **Skelly Oil Co.**
Address **Hobbs, New Mexico**

THE HISTORY OF THE CITY OF BOSTON

FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME

BY
JOSEPH NEALE, ESQ.
OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN.
IN TWO VOLUMES.
LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

THE HISTORY OF THE CITY OF BOSTON, FROM THE FIRST SETTLEMENT TO THE PRESENT TIME, BY JOSEPH NEALE, ESQ. OF THE BARR, AT THE MIDDLE TEMPLE, IN GREAT BRITAIN. IN TWO VOLUMES. LONDON: PRINTED BY J. JOHNSON, ST. PAULS CHURCH-YARD, 1773.

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

DUPLICATE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

Nov. 7, 1939

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

SKELLY OIL COMPANY H. O. Sims Well No. 6 in CNE SW
Company or Operator Lease


of Sec. 34, T. 22, R. 37, N. M. P. M., Skelly Field,

L e a County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Drilled to 93' and ran and cemented 16" OD casing on bottom with 100 sx cement - Halliburton Process. Cement was circulated back into the bottom of the cellar. Will let set 48 hours and on Wednesday, Nov. 8, at approximately 12:00 Noon will drill plug and test for casing shut-off.



HOBBS OFFICE

Approved NOV 10 1939, 19____
except as follows:

SKELLY OIL COMPANY
Company or Operator

By

Position

District Superintendent

Send communications regarding well to

Name

Skelly Oil Co.

Address

Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By

Title

Oil & Gas Inspector

NEW MEXICO OIL CONSERVATION COMMISSION


Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL		



Hobbs, New Mexico

Place

HOBBS OFFICE
Nov. 9, 1939

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

SKELLY OIL COMPANY**H. O. Sims**Well No. **6** in the

Company or Operator

Lease

CNE SW

of Sec.

34

T.

22

R.

37

N. M. P. M.,

Skelly

Field,

Lea

County

The dates of this work were as follows: **November 6, 1939**

Notice of intention to do the work was ~~(crossed out)~~ submitted on Form C-102 on **Nov. 7,** 19**39**
and approval of the proposed plan was ~~(crossed out)~~ obtained. (Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

After allowing cement to set 48 hours, drilled plug and tested for casing shut-off in 16" OD casing set by Halliburton process at depth of 93' - Casing shut-off tested OK. Now drilling ahead.

Witnessed by **W. K. Byrom**

Name

J. C. Clower Drlg. Co.

Company

Foreman

Title

Subscribed and sworn to before me this

I hereby swear or affirm that the information given above is true and correct.

day of **November**, 19**39**

Name

Position

District Superintendent

Representing

SKELLY OIL COMPANY

Company or Operator

My Commission expires **Dec. 10, 1940**

Address

Hobbs, New Mexico

Remarks:

Reg. Garbrough
Name
OIL & GAS INSPECTOR

Title

100-100000

100-100000

100-100000

100-100000

100-100000

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

Notice of Intention to Drill

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

Nov. 2, 1939

Place

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.
Gentlemen:

DUPLICATE

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____
SKELLY OIL COMPANY **H.O. Sims** Well No. **6** in **CNE SW**

of Sec. **34**, T. **28S**, R. **37E**, N. M. P. M., **Skelly** Field, **Lea** County

N.

The well is **1980** feet (N.) of the **South** line and **1980** feet
(E.) of the **West** line of **Section 34 -**

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____, Assignment No. _____

If patented land the owner is **Hugh O. Sims**

Address **Eunice, New Mexico**


If government land the permittee is _____

Address _____

The lessee is **Skelly Oil Co.**

Address **Tulsa, Oklahoma**

RECEIVED
NOV 4 - 1939
HOBBS OFFICE



AREA 640 ACRES
LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: _____

Cable tools top to total depth - Contractor is J. C. Clower, Eunice, N.M.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: _____

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17"	16" OD	70#	SH	140'	Cemented	100
15 1/2"	13"	40#	SH	420'	Landed	
12 1/2"	10-3/4"	36#	SH	750'	Landed	
9-5/8"	8-5/8"	32#	SH	1150'	Landed	
8-1/4"	7"	24#	New	3445'	Cemented	200

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **3425** feet.

Additional information: **In cementing the 16" OD casing the cement will be circulated back to bottom of the cellar. The 13" OD, the 10-3/4" OD and the 8-5/8" OD casing will be pulled at the time the 7" OD casing is run and cemented.**

Approved _____, 19_____
except as follows: **NOV 4 - 1939**

Sincerely yours,

SKELLY OIL COMPANY

Company or Operator

By

Position

District Superintendent

Send communication regarding well to

Name

Skelly Oil Company

Address

Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By

Title

Oil & Gas Inspector

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

[illegible]

100-443887-100

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

COPIES

SECRET