

Submit 3 Copies to Appropriate District
Office

State of New Mexico
Energy, Minerals and Natural Resources

FORM C-103
Revised March 25, 1999

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

2040 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.

30-025-10584

5. Indicate Type of Lease

☐ STATE

☒ FEE

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

☒ OIL WELL

☐ GAS WELL

☐ OTHER

2. Name of Operator

Apache Corporation

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400

4. Well Location

Unit Letter M : 660 Feet From The South Line and 660 Feet From The West Line
Section 34 Township 22S Range 37E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3326' GR

7. Lease Name or Unit Agreement Name

Skelly Penrose 'A' Unit

8. Well No.

11

9. Pool name or Wildcat

Langlie-Mattix; 7 Rvrs-Q-Grayburg (37240)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

☐ Perform Remedial Work

☒ Plug and Abandon

☐ Temporarily Abandon

☐ Change Plans

☐ Pull or Alter Casing

☐ Other

SUBSEQUENT REPORT OF:

☐ Remedial Work

☐ Altering Casing

☐ Commence Drilling Operations

☐ Plug and Abandonment

☐ Casing Test and Cement Job

☐ Other

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**DUMP BAILER 35' CEMENT
IF SPOTTED 25SX**

1.) Set CIBP @ 3350' w/ ~~20 sx~~ cement on top - **TAG**

2.) Perforate 7" casing @ 1225'

3.) Set Cement Retainer @ 1195'

4.) Cement squeeze behind 7" casing **circulating to surface** w/ 300 sx

5.) Top Cement Retainer @ 1195' w/ 25 sx - **TAG**

6.) Spot cement plug from 250' to surface w/ 65 sx

7.) Install 4-1/2" P&A marker

**THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Debra J. Anderson

TITLE

Sr. Engineering Technician

DATE

7/5/00

TYPE OR PRINT NAME

Debra J. Anderson

TELEPHONE NO.

713-296-6338

(This space for State Use)

APPROVED BY

Larry W. Wink

TITLE


DATE

CONDITIONS OF APPROVAL, IF ANY:

ORIGINAL SIGNED

WELL: Skelly Penrose -A- Unit # 11
 POOL: Langlie Mattix; 7 Rvrs-Q-Grayburg Pool (37240)
 LOCATION: 660' FSL & 660' FWL
 Unit M, Sec 34, T-22S, R-37E
 COUNTY/STATE: Lea County, New Mexico

CURRENT COMPLETION



P & A PROPOSAL

