

STATE BD #1
Work Report

HPC

Steve Baker

5/24/85
5/24/85

MIRU Gene's Well Serv. SITP - 50# Open to pit. BD in 1" then fluid hit. Press. built to 400# gas & good oil. SION. Csg fluid 5 gal wth & died.

5/25/85
5/25/85

Hooked up FL to bty. SITP-180#. Fluid 1½ hrs. FP peaked @ 500# then died. Fluid 15 BD. RU swb could not get below 800' w/swb-tbg dry to there. ND OCT 6" - 900 series tbg head & plug tee. NUBOP. 10 pts tbg wt setting on bonnet. PU to 40M# - no movement. Tried RH torque - can't turn. PU to 50M# - tbg started coming then parted. POH w/51 jts 2 3/8" tbg (1565.12'). Tbg parted 2' below collar on 52nd jt. ID of necked down tbg 1 9/16". Tbg looks to be in good cond. SION.

5/26/85
5/26/85

SI Sunday

5/27/85
5/27/85

Well dead. WIH w/ 4 11/16" OS w/ 2 3/8" grapple & 4' exterior. Caught fish. RU Dia Log. Ran free jt. 100% stuck @ 2721', 80% stuck @ 2715', free @ 2707'. Backed off @ 1st free collar @ 2684'. POH w/ 51 jts & OS & fish=37 jts (1099.1) & rest of parted jt. Broke down OS. SION.

5/28/85
5/28/85

RU ABC Rental Tool reverse rig. WIH w/4' x 4½" OD shoe (OD of cut-rite=4 3/4"), 2 jts (54') 4½" OD wash pipe, 4-3½" OD DC's, 2 3/8 tbg. Tagged TOF @ 2684'. Started washing w/½ returns @ 2715'. Washed salt & med. bridges 2715-2721, tight spot-metal 2721-2731', iron sulfide & salt, scale 2731-2745'. POH. PU 2 more jts wash pipe (63') [Now 117' WP in hole] WIH. Washed 2745-2759' w/almost full ret. Still iron sul, scale. Ø 3 min/ft. Pull 10 stds. SION - dark.

5/29/85
5/29/85

BD gas. WIH w/10 stds. Washed 3 hrs from 2759-2776'. (Iron sulfide, scale). POH-shoe worn out. WIH w/3 1/16" grapple in OS, bumper sub, 4 DC's, tbg. Caught fish. POH-LD fish=1 jt tbg w/bottom 5' shaved & pins shaved on 1 side. WIH w/ 2 3/8" grapple in OS, BS, 4 DC's. Beat down on OS for 10 mins to get grap. over upset of fish. Caught fish. PU 30 jts & whole string has 3' of free travel. RU Dia Log. Ran FP. Tbg stuck @ 2815', free @ collar 2804'. Verified entire string movement for 3' free travel. Backed off @ col @ 2804'. Pull 10 stds. SION (10:15 PM Tex.)

5/30/85
5/30/85

POH - LD fish = 2 jts tbg w/col on bottom. TOF now @ 2777' (backed off 1 jt above where shot) WIH w/2 19/32" gap in OS, BS, 4 DC's. Set down @ 2752'. Got string wt & pulled 4 jts then turned left 3 rounds easy & came loose. POH-no recovery. WIH w/4 jts WP, 4 DC's. Tagged up @ 2752'. Worked for 30 min. Worked down 6' to 2758'. Torques up-will not turn. Took 6 jts over wt to pull free. Suspect tight spot in csg or scale @ 2752- TOF @ 2777'. POH. LD 4 jts WP. WIH w/ 2 19/32 gap in OS, BS, 4 DC's. Set down @ 2752. Could not work through tite spot. POH-no recovery. LD DC's & OS, BS. LD (308.30') 10 jts good tbg. WIH w/ 78 jts (2355.92') OE. ND BOP. NUWH. Rig down. Left 10 good jts just NE of well. Left 4 fished out jts near SE anchor.



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
HOBBS DISTRICT OFFICE

TONEY ANAYA
GOVERNOR

October 1, 1986

POST OFFICE BOX 1980
HOBBS, NEW MEXICO 88240
(505) 393-6161

Highland Production Company
P.O. Box 6326
Odessa, TX 79767-6326

Re: State BD-36 #1-J
Section 36, T22S, R37E

Gentlemen:

On May 25, 1985, this office approved a Notice of Intention to Plug Back for the above well. A status report was requested by our letter dated January 31, 1986. To date no further reports have been submitted.

This intention to plug back is hereby cancelled.

If you at a future date desire to do this workover, you will need to submit another intention to plug back.

Very truly yours,

OIL CONSERVATION DIVISION

Jerry Sexton
Supervisor, District I

ed

cc: OCD Santa Fe -- Well File