

NEW MEXICO OIL CONSERVATION COMMISSION
GAS-OIL RATIO TESTS

C-116
Revised 1-1-65

Operator Southland Royalty Company		Pool Blinebry-Tubb		County Lea	
Address 1100 Wall Towers West, Midland, TX 79701		Type of Test - (X)		Scheduling ☐	
Lease Name		DATE OF TEST		CHOKE SIZE	
WELL NO.		LOCATION		TSG. PRESS.	
				DAILY ALLOW-ABLE	
				LENGTH OF TEST HOURS	
				WATER BBL'S	
				GAS OIL BBL'S	
				GAS M.C.F.	
				GAS - OIL RATIO CU.FT/BBL	
State BD-36		1		J	
Tubb		36		22	
Blinebry		37		24	
		2-9-78		P	
		10-20-76		P	
				24	
				30	
				37.5	
				6	
				30	
				9.8	
				5000	
				4866	

No well will be assigned an allowable greater than the amount of oil produced on the official test.
During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowances when authorized by the Commission.
Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base will be 0.60.

Report casing pressure in lieu of tubing pressure for any well producing through casing.
Well original and one copy of this report to the district office of the New Mexico Oil Conservation Commission in accordance with Rule 301 and appropriate pool rules.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.

C. Howard
(Signature)
February 21, 1978
(Date)

RECEIVED

FEB 23 1978

OIL CONSERVATION COMM.
HOBBS, N. M.

BARREL OF OIL PER MONTH


46 6690

5 YEARS BY MONTHS, LOG CYCLES
KEUFFEL & ESSER CO. MADE IN U.S.A.

STATE BD 36 -1

SOUTHLAND ROYALTY
PRODUCTION CURVE
BLINEBRY ZONE

SHUT-IN



RECEIVED

FEB 23 1978

OIL CONSERVATION COMM.
HOBBS, N. M.