

X		

(SUBMIT IN TRIPLICATE)

Land Office

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LE-NGC 030556 (b)
Unit N

RECEIVED JUN 2 AM 8:27



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	XX
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Stevens B-15

May 31, 1961, 19

Well No. 3 is located 660 ft. from  line and 1980 ft. from  line of sec. 15

Sec. 15 23-S 36-E 14th
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Jalnet Gas & Langlie Mattix **Lee** **New Mexico**
(Field) **041** (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3399 ft. 18

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 3487' of 2 7/8" 6.5# J-55 Csg. landed at 3499' w/6 cent. Ran 3682' of 4 1/2" 9.5# J-55 Csg set at 3694' w/20 cent, 15 scratchers w/BJ float collar and float shoe. Cemented w/320 units HHS-400, 300 sax reg. cent w/4 1/2 gal, 100 sax reg. w/4 1/2 Gal & 100 gals latex. Total slurry 3099 cu. ft. Plug down 12:30 A.M. 5-15-61, WOC 24 Hrs. Tested casing w/1500# for thirty minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address **Box 68**


Sanico, New Mexico

0/2 USGS, 0/2 ~~WFOCC~~ WAM File

By K. L. L. L.

Title	Dist.	Supt.
-------	-------	-------

Form 9-381a
(Feb. 1961)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces

Lease No. 330556-b

Unit 41-1-1

1961 MAY 11 AM 10 23

CORRECTED REPORT

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Stevens 8-15 May 9, 1961

Well No. 3 is located 600 ft. from XX line and 1980 ft. from EX line of sec. 15

3 1/4 Sec. 15 23-3 15-3 XXXX
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Jalnet & Langlie-Mattix Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3399 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 8:45 P.M. 4-29-61. Set 11-3/4" OD 47' casing at 334' with 300 sacks cement. Cement circulated. R.O. 24 hrs. Tested casing for 30 minutes with 600 lbs. Tested O.S.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company


Address Box 68

Donice, New Mexico

By J. K. [Signature]

Title District Superintendent

0/3 USGS H4050-2 WAM file
Pan Az-Robts 2; Atl-Rio 2; Std-Rob & Mid.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 030556 b
Unit N

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Stevens B-15 May 4, 1961

Well No. 3 is located 660 ft. from SW line and 1980 ft. from W line of sec. 15

SW/4 Sec. 15 23-S 36-E NM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Jalmat & Langlie-Mattix Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3399 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 8:45 P.M. 4-29-61. Set 11-3/4" OD 47# casing at 334' with 300 sacks cement. Cement circulated. Tested casing for 30 minutes with 600 lbs. Tested O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 68

Unice, New Mexico

By [Signature]

O/3 USGS NMOC-2 W.M. File Title District Superintendent
Pan Am-Hobbs 2; Atl-Mid 2; Std-Hou & Mid.