-	MEMA
Form C-103	1 In the second second
<b>OIL</b> -CONSERVATION COMMISSION	ML ANZI M
Santa Fe, New Mexico	1 SUSTER IS
MISCELLANEOUS REPORTS ON LITELLS	TOBBS OFFICE
HHISPETTULIEnne uthor 12 ni metts	OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission. Indicate nature of report by checking below.

٠

REPORT ON BEGINNING DRILLING OPERA-	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	
Janury 18, 19	Date Konument, New Mexico
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen:	
Following is a report on the work done and the results ob	ed under the heading noted above at the
	ate JCTWell Noin the
Company or Operator	Lease T. <u>235</u> , R. <u>36E</u> , N. M. P. M.,
•	Laa County.
The dates of this work were as follows:	
Notice of intention to do the work was (was not) subm	d on Form C-102 on19
and approval of the proposed plan was (was not) obtain	. (Cross out incorrect words.)
DETAILED ACCOUNT OF WOR	OONE AND RESULTS OBTAINED
@ 24701, 32.6% of Calculated fill,	Ran Temperature Survey, found top cement ippled up. Picked up tubing & 4-3/4" bit. ing W/1150# for 30 minutes was O.K. Drilled

Witnessed	by	C	Telge	Amerada Petro	leum Corpora	ation F	arm Boss
	•			Name	C	ompany	Title
	_day of	·	before me Januar		is true and co	ar or affirm that the in prrect. Asst. Dist. Su	
		1	T	Notary Public	Representing	Amerada Petrol. Company or Open	· · · · · · · · · · · · · · · · · · ·
My com	mission	expire	SOMMISSION F.	XPIRES MARCH 29, 1952	Address	Drawer D, Monu	ment, New Mexico
Remarks:			APPR	UVED - 14N 2 = 1943		Roy. 1	Title

Date

Rey gast wall and

## NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## MISCELLANEOUS NOTICES

ML	JANZI	Lille Jule	Ti 1
			[] []
Ho			
work s	ecified	Rei	9

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified **Grap** or begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL		
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING		
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL		
NOTICE OF INTENTION TO DEEPEN WELL	Notice of Intention to set Retainer	[	
Monument, New Mex			
	Place Date		
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. Gentlemen:			
Following is a notice of intention to do certain work a			
Amerada Petroleum Corporation	State JCT Well No. 1 in NWL	E	
Company or Operator Lease			
of Sec. 16 , T. 235 , R. 36E	, N. M. P. M.,Cooper-JalF	'ield	
County.			
FILL DETAILS OF P	ROPOSED PLAN OF WORK		
FOLL DETAILS OF T			
FULLOW INSTRUCTIONS IN THE RUL	TO AND REGULATIONS OF THE COMMISSION		

3800: Total Depth, Lime. Casing set at 3700'. We propose to set bridging plug at 3690: and Squeese with 50 sacks cement & perforate  $5\frac{1}{2}$ " Casing from 3635: to 3680: with 4 shots per foot

Approved	<u> </u>	Amerada Petroleun	Corporation
except as follows:		Company or C	)perator
	Ву _	Å	Tr jefft
	Positi	on <u>Asst. Dist. St</u> Send communications r	
OIL CONSERVATION COMM	SSION Name	Amerada Petro	Leum Corporation
By NOV. Wank no is		Drawer D.	
Title	1	Monument, New	Mexico
U WILL & CAS INS!	BOTHER		

Form C-103	ma	
OIL CONSERV	ATION COMMISSION	ERIM
Santa MICACI I ANCAIO	Fe, New Mexico	8 19 do Sh
MISCELLANEOUS	REPURIS UI WELLS	$\sim \parallel \parallel$
Submit this report in triplicate to the Oil Conservation specified is completed. It should be signed and sworn t tions, results of shooting well, results of test of casing tions, even though the work was witnessed by an agent signed and sworn to before a notary public. See addition Indicate nature of	to before a notary public for reports on beginning drill g shut off, result of plugging of well, and other import of the Commission Bonorts on minor apportion	ling opera- ant opera-
REPORT ON BEGINNING DRILLING OPERA-	REPORT ON REPAIRING WELL	11
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL	-
REPORT ON RESULT OF PLUGGING OF WELL	Report on Setting Casing	x
January 15, 194		
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen:	Date Place	
Following is a report on the work done and the results of	obtained under the heading noted above at the	
unerada retroieum corporation	State JCTWell No1	
NWL NEL Company or Operator	Lease	
Cooper-Jal Field,	<u> </u>	
The dates of this work were as follows: January	15, 1949	_ County.
Notice of intention to do the work was (wested) sub-	mitted on Form C-102 on January 14,	1949
and approval of the proposed plan was (WSEX Sot) obt		0 <u></u> _
Ran 36 jts. 5 <sup>±</sup> OD. 15.5 <sup>#</sup> . R-2.	RK DONE AND RESULTS OBTAINED ger Survey & their Gamma Ray from 3800 Gr. C, 10V Thd. SS (SH) Csg. 979.44', a hd. Spang SS Csg. (New) 2727.65' Total	5C: 34
3655'-3625'-3594'-3565'-3535'-350 3695'-3685'-3675'-3665'-3655'-3 3565'-3560'-3554'-3549'-3545'-35 with 400 sx. 3% Gel & 200 sx. Reg A.M. 1-15-49. Maximum pressure 10 Vitnessed by C.E. Telge Amerada F	9. Han 10 Baker 52" OD Centralizers, So 5'-3475'-3446'-3416', Ran 25 Weatherfor 3645'-3635'-3625'-3615'-3605'-3595'-358 35'-3530'-3524'-3520'-3515'-3510'-3500' Rular Ideal Cement & plug numbed to 364	et @ 3685!- rd Scratche 35!-3 <b>5</b> 75!- !. Cemented 0! at 8:30
Name	Company Tit	
Subscribed and sworn before me this	I hereby swear or affirm that the information giv - is true and correct.	en above
15th day of January 19.49	4	>
Will Haile Jackow	Position Asst. Dist. Supt.,	<u></u>
Notary Public	Representing <u>Amerada Petroleum Corpora</u> Company or Operator	tion
My commission expiresommission Fulling and the 29, 1952		exico
emarks:	Roy yunura	utte.
APPROVED	AS NSPECTOR	$\mathbf{\nabla}$
	Titl	

Date JAN 1 - 1927

they gunkraugh

. .