Form C-105				RECEIVED
	OIL ONSERVA	TION COMMIS	ON	2 <b>1951</b>
	Miscellaneous F	Reports on	Well	L CRASERVATION COMMISSION

.

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indica	te nature of rep	ort by checking	below.		
REPORT ON BEGINNING DRILLING OPERATIONS		REPORT	ON REPAIRIN	IG WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL			ON PULLING RING CASING	OR OTHERW	ISE
REPORT ON RESULT OF TEST OF CASIL SHUT-OFF	NG	REPORT	ON DEEPENI	NG WELL	
REPORT ON RESULT OF PLUGGING OF	WELL	REPORT	ON ABSOLUT	E OPEN FLO	N X
	pril 30, 19		Monume	nt, New Me	rico
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO. Gentlemen: Following is a report on the work done and	the results obta	Date ined under the	heading noted :	above at the	Place
Amerada Petroleum Corporat.	lon	State JC	nTH	1 No2	in the
Company or Operator SW/4 of the NE/4		Lease			
Cooper-Jal Field					
The dates of this work were as follows:				*******	
Notice of intention to do the work was (was	- mot) automitte	t on Form C-10	2 010		19
and approval of the proposed plan was (w	as not) obtained	d. (Cross out in	correct words.		
DETAILED ACCO	UNT OF WORK	C DONE AND	RESULTS OBI	AINED	
B. J. Sinex Witnessed by	lute Open F.	rada Petrol		ation P	etroleun Eng
	· ·				
Subscribed and sworn before me this	, 19 <b>51</b>	I hereby sw is true and Name		hat the inform $\mathcal{O}_{\mathcal{O}}$	ation given above
10 Prest					tep?
No	tary Public	Position	ssistant (	istrict Su	perintendant
		Position Representin	g Amerada		perintendant Corporation
My commission expires 10-11-	540		g Amerada	Petroleus	Cerporation
My commission expires /0-// Remarks: Well shut-in, no mark available.	<i>5-42</i> 19 <b>t</b>	Representin	g Amerada Con Drawer D,	Petroleus	Corporation

Date---

-----

Form (	)-102	
--------	-------	--

NEW MEAICO OIL CONSERVATION COMMISSION

3320'

## SANTA FE, NEW MEXICO MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate	nature	of	notice	by	checking	be	low:
----------	--------	----	--------	----	----------	----	------

NOTICE OF IN	TENTION	TO TEST	CASING	1	NOTICE OF	F INTENTION TO	SHOOT OR	
SHUT-OFF	1.51(1101		CILDIN'			CALLY TREAT		
NOTICE OF INT	TENTION	TO CHAN	GE PLANS			' INTENTION TO WISE ALTER CA		
NOTICE OF INT	TENTION	I TO REPA	IR WELL	X	NOTICE OF	F INTENTION TO	PLUG WELI	<u>نا</u>
NOTICE OF INT	FENTION	TO DEEPI	EN WELL					
<b></b>			X	ORUMAN	•	June 28	. 1950	
						Place	Date	
Santa Fe, New M Gentlemen: Following is a no	otice of in			<b>.</b> .				
Amerada Petri					te JCT	Well M	ło2	in
Company or of Sec. 16	Operator , T	238	_	ease	I. M. P. M.,	Jal-Cooper	-, <u>-</u> -	Field.
	Lea		County.					
		FULL DI	TAILS OF	PROF	OSED PLA	N OF WORK		
FOLI	LOW INS					TIONS OF THE	COMMISSIO	N
T.D. 36001,	5 <u>1</u> " Car	sing set	at 3600',	5날바 C	asing perfe	orations 3581	to 3991!	& 32801 to
Because of a	high 1	ater-oil	ratio on	this	well it is	our intention	a to squee	se off with

coment the perforations from 3581' to 3591'. We then plan to re-perforate the  $5\frac{1}{2}$ " easing with 4 shots per foot from 3560' to 3571' and acidise with 500 gallons of 15% low tension acid. Production test will be taken and if satifactory the well will be placed back on production.

Approved, 19, 19,	Amerada Petroleum Corporation Company or Operator
	By in Topp
	Position Assistant District Superintendent Send communications regarding well to
OIL CONSERVATION COMMISSION,	Name Amerada Petroleum Corporation
By Yill yuchrough.	Address Brawer "D", Monument, New Mexico
Title THE & GAS INSPECTOR	5. 

## OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO Miscellaneous Reports on Wells

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

## Indicate nature of report by checking below.

EPORT ON BEGINNING DE	RILLING	REPORT ON REPAIRING WELL	
OPERATIONS REPORT ON RESULT OF SH CHEMICAL TREATMENT		REPORT ON PULLING OR OTHERW	/ISE
REPORT ON RESULT OF TE SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PL	LUGGING OF WELL		
		June 20, 1950 Monument, N	ew Mexico
DIL CONSERVATION COMMI SANTA FE, NEW MEXICO. Sentlemen:	SSION,	Date	Place
Amerada Petroleum Cor	poration	s obtained under the heading noted above at the State JCT	in the
Company or 0 SW/4 of the NE/4 Jal-Cooper	of Sec	, T. <b>238</b> , R. <b>365</b> Ra	
		1950 to June 19, 1950	•
DETA	AILED ACCOUNT OF	btained. (Cross out incorrect words.) WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581" to 355	)1" & 3280" to
D. 3600', 52" Casing erforated 52" Casing btal of 160 shots. A ress. 2800". Pulled 121' & 3496'. In 24	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells and re-ran tubin hours on open 2" Gas Volume 1,0	WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension with three (3) Olseo Flow Valves ' choke the well flowed 17.98 bbls. 50,000 cu ft per day. GFR 1550 merada Petroleum Corporation	s per foot. Acid. Max. set at 2381
DETA D. 3600', 52" Casing erforated 52" Casing btal of 160 shots. A ress. 2800". Pulled 121' & 3496'. In 24 50.00 bbls. of water.	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells and re-ran tubin hours on open 2" Gas Volume 1,0 Name	WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension og with three (3) Olseo Flow Valves ' choke the well flowed 17.98 bbls. )50,000 cu ft per day. GFR 1550 Merada Petroleum Corperation Company I hereby swear or affire that the inform	Acid. Max. set at 2381' of oil and Farm Res.
DETA D. 3600', 52' Casing orforated 52' Casing otal of 160 shots. A ress. 2800F. Pulled 121' & 3496'. In 24. 50.00 bbls. of water. Witnessed by Dom Gord Subscribed and sworn before	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells and re-ran tubin hours on open 2" Gas Volume 1,0 Name	WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension og with three (3) Olseo Flow Valves ' choke the well flowed 17.98 bbls. )50,000 cu ft per day. GFR 1550 Merada Petroleum Corperation Company I hereby swear or affire that the inform	Acid. Max. set at 2381' of oil and Parm Best Title
DETA D. 3600', 52" Casing cerforated 52" Casing beal of 160 shots. A ress. 2800". Pullod 121' & 3496'. In 24 50.00 bbls. of water. Witnessed by Don Gord	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells cidised with 500 and re-ran tubin hours on open 2" Gas Volume 1,0 Name	WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension with three (3) Olseo Flow Valves ' choke the well flowed 17.98 bbls. )50,000 cu ft per day. GFR 1550 Merada Petroleum Corperation Company I hereby swear or affirm that the inform is true and correct.	Acid. Max. set at 2381 of oil and Parm Bes Title
DETA D. 3600', 52' Casing orforated 52' Casing otal of 160 shots. A ress. 2800F. Pulled 121' & 3496'. In 24. 50.00 bbls. of water. Witnessed by Dom Gord Subscribed and sworn before	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells cidised with 500 and re-ran tubin hours on open 2" Gas Volume 1,0 Name	WORK DONE AND RESULTS OBTAINED 52" Casing perferations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension by with three (3) Olseo Flow Valves ' choins the well flowed 17.98 bbls. 50,000 cu ft per day. GFR 1550 Mmerada Petroleum Corperation Company I hereby swear or affirm that the inform is true and correct.	Acid. Max, set at 2381' of oil and Parm Bos Title ation given above
DETA D. 3600', 52" Casing orforated 52" Casing otal of 160 shots. A ress. 2800". Pulled 121' & 3496'. In 24 50.00 bbls. of unter. Witnessed by Don Gord Subscribed and sworn befor 	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells add re-ran tubin hours on open 2" Gas Volume 1,0 Name re me this	WORK DONE AND RESULTS OBTAINED 52" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension ag with three (3) Olseo Flow Valves ' choise the well flowed 17.98 bbls. 50,000 cu ft per day. GFR 1550 Merada Petroleum Corperation Company I hereby swear or affirm that the inform is true and correct. Name Position Assistant District Se Representing Amerada Petroleum	Acid. Max, set at 2381 of oil and Parm Bes Title ation given above
DETA DETA DETA DETA DETA DETA DETA Casing otal of 160 shots. A ress. 2800f. Pullod 121' & 3496'. In 24 50.00 bbls. of water. Witnessed by Dom Gord Subscribed and sworn befor day of	AILED ACCOUNT OF set at 3600', 5 with Lane-Wells add re-ran tubin hours on open 2" Gas Volume 1,0 Name re me this	WORK DONE AND RESULTS OBTAINED S2" Casing perforations 3581' to 355 Gun from 3280' to 3320' with 4 shot ) gallons of Western 15% Low Tension og with three (3) Olseo Flow Valves ' choins the well flowed 17.98 bbls. )50,000 eu ft per day. GFR 1550 Merada Petroleum Corperation Company I hereby swear or affirm that the inform is true and correct. Name Position Assistant District Se Representing Amerada Petroleum Company or Operator	Acid. Max. set at 2381' of oil and Parm Bos Title ation given above