

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	X		

March 31, 1950

Date

Midland, Texas

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
The Texas Company's State of N.M. "B" ACT-1 Well No. 2 in the _____
Company or Operator Lease
SE & SE 1/4 of Sec. 16, T. 23-S, R. 36-E, N. M. P. M.,
Cooper Jal Field, Lea County.

The dates of this work were as follows: See Below

Notice of intention to do the work was (~~32336~~) submitted on Form C-102 on February 20, 1950
and approval of the proposed plan was (~~32336~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

TD: 3669' - Lime
PBD: 3249'

13" casing cemented at 276 with 250 sacks.

9-5/8" casing cemented at 1389 with 725 sacks.

7" casing cemented at 3500 with 150 sacks.

(Over)

Witnessed by _____	Name _____	Company _____	Title _____
Subscribed and sworn before me this _____	I hereby swear or affirm that the information given above is true and correct.		
31st day of March 1950	Name _____	_____	
<i>Sarah J. Linder</i>	Position _____	_____	
Notary Public	Representing _____	_____	
	Company or Operator		
My commission expires 6-1-50	Address Box 1270, Midland, Texas		


Remarks:




W. J. Linder
Name _____
Title _____

1. Filled hole with heavy mud.
2. Found top of gravel at 3185. Spotted 30 sacks cement plug 2950-3185.
3. Parted 7" casing at 2795, pulled same.
4. Spotted 20 sacks cement plug 2775-2840. (Top of 7" casing left in hole)
5. Spotted 25 sacks cement plug 1345-1410. (Bottom of 9-5/8" casing)
6. Spotted 10 sacks cement plug in top of surface casing.
7. Cemented 4" x 10' marker extending 4' above ground.
8. All 13" & 9-5/8" casing left in hole.
9. Filled cellar & cleaned up location.
10. Commenced abandonment 3-2-50. Completed abandonment 3-31-50.

As indicated on our "Notice of Intention to Plug Well" filed with your office on 2-20-50, this well has been salvaged, plugged, & abandoned in the following manner:






NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

27 3/31/53



AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

The Texas Company, P.O. Box 2332, Houston, Texas
Company or Operator Address
State of N. M. P. M. Well No. 2 in Sec. 16 T. 23
Lease 36
R. 36 N. M. P. M. Lynn Field, Lea County.
Well is 2310 feet south of the North line and 990 feet west of the East line of Sec. 16
If State land the oil and gas lease is No. 3-165 Assignment No.
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is The Texas Company Address Box 2332, Houston, Texas
Drilling commenced October 27, 1937 Drilling was completed November 28, 1937
Name of drilling contractor Gardner Bros. Address Dallas, Texas
Elevation above sea level 3423 feet at Derrick floor.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1. from 3008 to 3050 (242) No. 4. from to
No. 2. from 3566 to 3646 (88) No. 5. from to
No. 3. from 3664 to 3700 No. 6. from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1. from to feet.
No. 2. from to feet.
No. 3. from to feet.
No. 4. from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10	40	8		249'	Regular			
9	30	8	sl.	1363'	Shaker			
7	14	10	sl.	3508'	Bitto			

MUDDING AND CEMENTING RECORD

SIZE OF SHOE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17	10	375'	180	Edinburgh		
17	9-5/8	1369'	7.5	Bitto		
8-3/4	7	3500'	150	Bitto		

PLUGS AND ADAPTERS

Headline plug (Material) Length Depth Set
Adapter (Material) Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHOULDER USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3750' feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing November 28, 1937 on test.
The production of the first 24 hours was 166 barrels of fluid of which 100 % was oil; % emulsion; % water; and % sediment. Gravity, Be. 31.2
If gas well, cu. ft. per 24 hours. Gallons gasoline per 1,000 cu. ft. of gas.
Rock pressure, lbs. per sq. in. Gas/Oil ratio 2700

EMPLOYEES

M. A. Hasham Driller Joe Stewart Driller
M. A. Alexander Driller G. G. Reed Driller

FORMATION RECORDED ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

