

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

RECEIVED
MAY 14 1951
OIL CONSERVATION COMMISSION
HOBBS-OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before any work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modification considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL	X		

Hobbs, New Mexico.

April 20- 1951

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Neville G. Penrose Inc.

Company or Operator

Lease

Jones

Well No. 2

in

of Sec. 6

T. 22-S

R. 38-E

N. M. P. M.

Blinebary.

Field.

Lea

County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to drill 11 1/2" hole from 168' to 2885' and run 2880' of 32# seamless casing. 1500 sks. cement to be used, enough to circulate around casing back to surface.

After allowing 72 hrs set time plug will be drilled. casing also cement to be tested with 1500# before and after drilling plug.

MAY 14 1951

Approved

except at follows:

Neville G. Penrose Inc.

Company or Operator

By

Position Prod. Supt.

Send communications regarding well to

Name Tom Marks.

Address 1018 N. Linam st. Hobbs

New Mexico.

By

Title

OIL CONSERVATION COMMISSION

Oil & Gas Inspector



1. Rehabilitation (100%)

DUPLICATE <div style="border: 1px solid black; width: 100px; height: 30px; margin: 5px;"></div>	OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO	RECEIVED MAY 14 1951 OIL CONSERVATION COMMISSION HOBBS-OFFICE
	Miscellaneous Reports on Wells	

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico. May, 2- 1951

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Neville G. Penrose Inc. Jones Well No. 2 in the
Company or Operator Lease

1980 from S&W of Sec. 6, T. 22-S, R. 38-E, N. M. P. M.,

Blinbery Field Lea County.

The dates of this work were as follows: Casing Cemented April-6-1951

Notice of intention to do the work was (was not) submitted on Form C-102 on 19

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

17 1/2" hole was drilled to 168'- 13 3/8" casing 48#
was run to 165' and cemented with 150 sks.
Cement circulated to surface.

After 48 hrs. set time on cement, plug was drilled
Test was made with 1000# pump pressure before and drilling plug.
Casing and plug both found to be O.K.

Witnessed by Tom Marks Neville G. Penrose Inc. Prod. Supt.
Name Company Title

Subscribed and sworn before me this

2 day of May, 19 51

Mary Kennedy
Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name Tom Marks

Position Prod. Supt.

Representing Neville G. Penrose Inc.
Company or Operator

My commission expires My Commission Expires Jan. 4, 1954

Address 1018 N. Linam St. Hobbs, N.M.


Remarks:

APPROVED


MAY 14 1951

Date

Roy Yarbrough
Name
Oil & Gas Inspector
Title



August 1981
1981-1982



NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent. The work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL	X		

Hobbs, New Mexico.

Place

May 2-1951

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the.....

Well No. 2 in S&W

Neville G. Penrose Inc.

Lease

of Sec. 6, T. 22-S, R. 38-E, N. M. P. M., Elinebery Field.
Lea, Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to drill 7 7/8" hole from 2880' to approx. 8200' or top of Ellenberger formation. (provided granite does not come in before Ellenberger is topped). Hole will be reduced to 4 3/4" at top of Ellenberger and pay section drilled.

Hole drilled to T.D. or lower part of Ellenberger pay, 5 1/2"-17# casing will be run to top of 4 3/4" hole and cemented with 500 sks. of cement.

After 72 hrs. set time on cement plug will be drilled testing both casing and cement around shoe before and after drilling plug.

Well to be completed in open hole.

Approved.....

except at follows:

19.....

Neville G. Penrose Inc.

Company or Operator

By

Position

Fred. Supt.

Send communications regarding well to

Name

Tom Marks.

Address

1018 N. Linan St.

Hobbs, New Mexico.

OIL CONSERVATION COMMISSION,

By

Oil & Gas Inspector

Title

1. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the atom. It is shown that the structure of the atom is determined by the laws of quantum mechanics, and that the structure of the atom is determined by the laws of quantum mechanics.

2. The second part of the paper is devoted to a discussion of the general principles of the theory of the structure of the atom. It is shown that the structure of the atom is determined by the laws of quantum mechanics, and that the structure of the atom is determined by the laws of quantum mechanics.

1. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the atom. It is shown that the structure of the atom is determined by the laws of quantum mechanics, and that the structure of the atom is determined by the laws of quantum mechanics.