

DUPLICATE

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

RECEIVED  
FEB 11 1946  
HOBBBS OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

Place

February 5, 1946

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

N. G. Penrose, Inc.

Company or Operator

McCallister

Lease

Well No. 1 in NW 1/4

of Sec. 7, T. 22S, R. 38E, N. M. P. M., Jones Field,  
Lee County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

13-3/8" 48# casing was cemented at 155' with 150 sacks.  
Plug was pumped down at 2:30 A. M. February 5, 1946. Total depth  
of hole is 160'.

Cement will be allowed 36 hours in which to set before  
plug is tested and it is drilled out.

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows:

N. G. Penrose, Inc.  
Company or Operator  
By Charles P. Miller

Position Agent  
Send communications regarding well to

Name N. G. Penrose, Inc.

Address Ft. Worth, Texas.

OIL CONSERVATION COMMISSION  
By Roy H. Henshaw  
Oil & Gas Inspector  
Title \_\_\_\_\_

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945

1944-1945


1944-1945

## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

## MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico

Place

February 24, 1946

Date

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_

N. G. Penrose, Inc.

Company or Operator

McCallister

Lease

Well No. 1

in the

NW 1/4

of Sec. 7

T. 22S

R. 38E

N. M. P. M.,

Jones

Field,

Lea

County.

The dates of this work were as follows: February 18, 1946

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on February 18 1946

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

9-5/8" 36# casing was cemented at 2839' with 1500 sacks on February 16, 1946. Plug was pumped down at midnight.

Casing was tested at midnight, February 18, 1946, and cement found in casing at depth of 2805'. Pressure test was applied to casing and same showed to be O.K. Plug was drilled and drilling was resumed on February 19, 1946.

Witnessed by I. W. Rogers Name Makin Dril'g. Co. Company Toolpusher Title

Subscribed and sworn before me this 27<sup>th</sup>

day of February, 1946

Notary Public

I hereby swear or affirm that the information given above is true and correct to the best of my knowledge.

Name

Position

Representing

Company or Operator

My commission expires

Address

Remarks:

APPROVED

Date

Roy. Yorkhouse

Oil &amp; Gas Inspector

THE UNIVERSITY OF CHICAGO  
DIVISION OF THE PHYSICAL SCIENCES  
DEPARTMENT OF CHEMISTRY

REPORT OF THE  
COMMISSIONER OF THE  
BUREAU OF CHEMISTRY

FOR THE YEAR  
1917

CHICAGO, ILL.,  
1918

PRINTED BY THE  
UNIVERSITY OF CHICAGO PRESS

THE UNIVERSITY OF CHICAGO  
DIVISION OF THE PHYSICAL SCIENCES  
DEPARTMENT OF CHEMISTRY  
CHICAGO, ILL.

1918

CHICAGO, ILL.

CHICAGO, ILL.

CHICAGO, ILL.

CHICAGO, ILL.

CHICAGO, ILL.

CHICAGO, ILL.

CHICAGO, ILL.