



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Los Cruces**  
Lease No. **032100**  
Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<b>Dual completion in Drinkard and Paddock Zones</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**TEXACO Inc., P.O. Box 352**  
**Midland, Texas**

June 15, 1960

C. H. Lockhart MCT-1

Well No. **3** is located **699** ft. from **S** line and **1975** ft. from **E** line of sec. **18**SW  $\frac{1}{4}$ , SE  $\frac{1}{4}$ , Sec. 18  
( $\frac{1}{4}$  Sec. and Sec. No.)22-8  
(Twp.)38-E  
(Range)N6W  
(Meridian)Drinkard  
(Field)Lee  
(County or Subdivision)New Mexico  
(State or Territory)The elevation of the derrick floor above sea level is **3371** ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Subject well was dually completed in Drinkard and Paddock Zones as follows: Pulled rods and tubing, 5-10-60, tested casing with 1700 PSI from surface to 6700'. Tested O.K. Perforate 5-1/2" OD casing with 2 jet shots per ft from 5144' to 5174'. (Paddock Zone) Acidize with 500 gals 17% acid at 2 BPM. Ran 1584' 2-3/8" EUE tubing and 5186' 2-1/16" Hydril, 149' 2-3/8" NU tubing and set at 6899'. (Drinkard Zone). Ran 2-1/16" Hydril, 5175' and latched in lower tubing at 5186'. (Paddock Zone) Ran packer leakage test.

(Paddock Zones Test) On 24-hr PT well flowed 36 BO and 5 BW thru 17/64" choke. Gravity 34.6, GOR - 790, Top of Pay 5144', Btm of Pay 5174', ending 4:00 P.M., June 8, 1960. (Drinkard Zone Test) On 24-hr PT well flowed 11 BO and no water thru 16/64" choke, gravity 44.1, GOR -- 5210, Top of pay 6796', Btm of pay 7093', ending 4:00 P.M., June 8, 1960.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **TEXACO Inc.**Address **J. G. Elevins, Jr.****P. O. Box 352****Midland, Texas**

By

Title **Assistant District Superintendent**