	~	. H. Loci			Ê Ã	udget Bureau 42–R358.2. pproval expires 12–31–52.
Form 9-331 a (Feb. 1951)		(01030	TT 121 Mm		Land Office	18.020100
. . .		~ .	T IN TRIPL	-		
	-		TED STAT		Lease No	
		EPARTMEN			IOR Unit	
	*	GEOLO	OGICAL SU	RVEY		er alegije Dialogije
SUNE	ORY NC	TICES A	AND RE	PORT	S ON WELL	, Ne3 (422) (4) I S
NOTICE OF INTENTION TO D	DRILL		X SUBSEQU	ENT REPORT O	F WATER SHUT-OFF	
NOTICE OF INTENTION TO C			SUBSEQU	ENT REPORT O	F SHOOTING OR ACIDIZIN	G.
NOTICE OF INTENTION TO T NOTICE OF INTENTION TO R			SUBSEQU	ENT REPORT O	F ALTERING CASING	
NOTICE OF INTENTION TO S			SUBSEQU	ENT REPORT O	F REDRILLING OR REPAIR	
NOTICE OF INTENTION TO PI	ULL OR ALTER (CASING	SUPPLEM	ENT REPORT O	F ABANDONMENT	
NOTICE OF INTENTION TO A	BANDON WELL					
	/					
	(INDICATE ABOV)	E BY CHECK MARK	NATURE OF REP	ORT, NOTICE, O	R OTHER DATA)	
			Fort W	orth 9		
					'exas, Januar	<u>y 21,19 54</u> .
Well No. 7.NCT-	Lis located	660 ft fro	N	1 107	the (E).	
				and <u>49(</u>	At. from Line	of sec. <u>18</u>
NWANSA, Sec.	18 9	22-s	- 0		ι,	
			38-E	NMPM		
(14 Sec. and Sec. No.)		(Twp.)	30-E (Range)		eridian)	
		(Twp.)	(Range)		New Mexic	
(½ Sec. and Sec. No.) Drinkard (Field)		(Twp.) Lea (County c	(Range) or Subdivision)	(M)		
(14 Sec. and Sec. No.) Drinkard		(Twp.) Lea (County c	(Range) or Subdivision)	(M)	New Mexic	
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de	errick floor a	(Twp.) (County of above sea lev DETAII	(Range) or Subdivision) el is 335 LS OF WO	2 ft.	New Mexic (State or Territor	y)
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de	errick floor a	(Twp.) Less (County of above sea lev DETAII	(Range) or Subdivision) el is3351 LS OF WO	2 ft. RK	New Mexic (State or Territor	y)
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de	errick floor a	(Twp.) (County of above sea lev DETAII re sands; show size; points, and all of	(Range) r Subdivision) rel is LS OF WO s, weights, and la her important p	2 ft. RK	New Mexic (State or Territor	y) ding jobs, cement-
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED	prrick floor a	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all ot <u>SIZE CA</u>	(Range) r Subdivision) rel is LS OF WO s, weights, and la her important p	2 ft. RK	New Mexic (State or Territor seed casings; indicate muc CASING PRO	y) ding jobs, coment- JRAM (Approx.
(N Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite	prrick floor ; pths to objectiv ing 1350 •	(Twp.) Lees (County of above sea lev DETAII points, and all of SIZE CA 13-3/8"	(Range) r Subdivision) rel is LS OF WO s, weights, and la her important p	(Mi 2 ft. RK mgths of proper roposed work) New	New Mexic (State or Territor	y) ding jobs, cement- JRAM (Approx. Cement
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt	prick floor ; pths to objectiv ing 1350 ! 1450 !	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all ot <u>SIZE CA</u>	(Range) r Subdivision) rel is3354 LS OF WO s, weights, and here important p SING 48# 28#	(Ma 2 ft. RK mongths of proper roposed work) New New	New Mexic (State or Territor seed casings; Indicate muc <u>CASING PRO</u> Set at	y) ding jobs, coment- IRAM (Approx, Cement 300
(% see, and See, No.) Drinkard (Field) The elevation of the de (State names of and expected de RNATIONS EXPECTED p of Anhydrite p of Salt se of Salt	errick floor a pths to objectiv ing 1350 ! 1450 ! 2450 !	(Twp.) Lees (County of above sea lev DETAII points, and all of SIZE CA 13-3/8"	(Range) r Subdivision) rel is LS OF WO s, weights, and la her important p	(Mi 2 ft. RK mgths of proper roposed work) New	New Mexic (State or Territor (State or Territor (State or Territor (State or Territor (State or Territor) (State or Territor)	y) ding jobs, cement- JRAM (Approx. Cement
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt p of San Andres	errick floor (pths to objectiv ing 1350 (1450 (2450 (2550 ((Twp.) Lees (County of above sea lev DETAII points, and all of SIZE CA 13-3/8"	(Range) r Subdivision) rel is3354 LS OF WO s, weights, and here important p SING 48# 28#	(Ma 2 ft. RK mongths of proper roposed work) New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt p of San Andres p of Glorieta	errick floor a pths to objectiv ing 1350 ! 1450 ! 2450 !	(Twp.) Lees (County of above sea lev DETAII points, and all of SIZE CA 13-3/8"	(Range) r Subdivision) rel is3354 LS OF WO s, weights, and here important p SING 48# 28#	(Ma 2 ft. RK mongths of proper roposed work) New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(V Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of San Andres of Glorieta of Tubbs	errick floor a pths to objectiv ing 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 *	(Twp.) Lees (County of above sea lev DETAII points, and all of SIZE CA 13-3/8"	(Range) r Subdivision) rel is3354 LS OF WO s, weights, and here important p SING 48# 28#	(Ma 2 ft. RK mongths of proper roposed work) New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt p of Glorieta p of Tubbs tal Depth	errick floor a pths to objectiving 1350 ' 1450 ' 2450 ' 2550 ' 3980 ' 5120 ' 6020 ' 71 30 '	(Twp.) Lets (County of above sea lev DETAII resands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2"	(Range) r Subdivision) rel is 3354 LS OF WO s, weights, and la her important p SING 48# 15.50#	(Ma 2 ft. RK migths of proper roposed work) New New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt p of Glorieta p of Tubbs tal Depth	errick floor a pths to objectiving 1350 ' 1450 ' 2450 ' 2550 ' 3980 ' 5120 ' 6020 ' 71 30 '	(Twp.) Lets (County of above sea lev DETAII resands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2"	(Range) r Subdivision) rel is 3354 LS OF WO s, weights, and la her important p SING 48# 15.50#	(Ma 2 ft. RK migths of proper roposed work) New New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt p of Glorieta p of Tubbs tal Depth	errick floor a pths to objectiving 1350 ' 1450 ' 2450 ' 2550 ' 3980 ' 5120 ' 6020 ' 71 30 '	(Twp.) Lets (County of above sea lev DETAII resands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2"	(Range) r Subdivision) rel is 3354 LS OF WO s, weights, and la her important p SING 48# 15.50#	(Ma 2 ft. RK migths of proper roposed work) New New New	New Mexic (State or Territor (State or Territor) (State or Territor (State or Territor) (State or Ter	y) ding jobs, coment- JRAM (Approx, Cement 300 1650
(X see, and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt of Salt p of Glorieta p of Tubbs tal Depth Ll to be completed	errick floor a pths to objectiving 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * 1 1 0 *	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK engths of propo- roposed work) New New New New	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 * 2800 * 7100 *	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500
(V Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt of San Andres p of Glorieta of Tubbs tal Depth Ll to be completed	errick floor a pths to objectiving 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * * * * * * * * * * * * * *	(Twp.) Lets (County of above sea lev DETAII re sands; show size: points, and all ot SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK engths of propo- roposed work) New New New New	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 * 2800 * 7100 *	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500
(X sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt of Salt of Salt of San Andres of Glorieta of Tubbs tal Depth Ll to be completed	errick floor a pths to objectiving 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * * * * * * * * * * * * * *	(Twp.) Lets (County of above sea lev DETAII re sands; show size: points, and all ot SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK engths of propo- roposed work) New New New New	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 * 2800 * 7100 *	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED of Anhydrite of Salt of Salt of Salt of Salt of San Andres of Glorieta of Tubbs tal Depth 1 to be completed I understand that this plan of Company THE TEX	errick floor : pths to objectiv ing 1350 : 1450 : 2450 : 2550 : 3980 : 5120 : 6020 : 7130 : in low work must rece AS COMP	(Twp.) Lets (County of above sea lev DETAII re sands; show size: points, and all ot SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK mights of propro- proposed work) New New New New 7130 !	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 ' 2800 ' 7100 '	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500
(X sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt of Salt of Salt of San Andres of Glorieta of Tubbs tal Depth Ll to be completed I understand that this plan of Company THE TEX Address P.O. Box	errick floor a pths to objectiv ing 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * * in low work must rece AS COMP 1720	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear sive approval in wr ANY	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK mights of propro- proposed work) New New New New 7130 !	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 * 2800 * 7100 *	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500
(X sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED p of Anhydrite p of Salt se of Salt p of Salt of Salt of San Andres p of Glorieta of Glorieta of Tubbs tal Depth Ll to be completed I understand that this plan of Company THE TEX	errick floor a pths to objectiv ing 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * * in low work must rece AS COMP 1720	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear sive approval in wr ANY	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK engths of propo- roposed work) New New New 7130 1 7130 1	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 ' 2800 ' 7100 '	y) ding jobs, coment- IRAM (Approx, Cement 300 1650 500
(14 Sec. and Sec. No.) Drinkard (Field) The elevation of the de (State names of and expected de RMATIONS EXPECTED of Anhydrite of Salt of Salt of Salt of Salt of San Andres of Glorieta of Tubbs cal Depth 1 to be completed I understand that this plan of Company THE TEX Address. P.O. Box	errick floor a pths to objectiv ing 1350 * 1450 * 2450 * 2550 * 3980 * 5120 * 6020 * 7130 * * in low work must rece AS COMP 1720	(Twp.) Lets (County of above sea lev DETAII re sands; show size; points, and all of SIZE CA 13-3/8" 8-5/8" 5-1/2" er Clear sive approval in wr ANY	(Range) r Subdivision) rel is3354 LS OF WO a, weights, and ther important p SING 48# 15.50#	(Ma 2 ft. RK mights of proper proposed work) New New New New 7130 !	New Mexic (State or Territor (State or Territor CASING PRO Set at 250 ' 2800 ' 7100 '	y) Iding jobs, coment- JRAM (Approx, Cement 300 1650 500



• • • • • • •



This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

> Division Civil Engineer The Texas Company Registered Professional Engineer - State of Texas