

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

JOHNS OFFICE O. C. C.

MAY 31 7 50 AM '67

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> Re-enter old P. & A. hole	7. Unit Agreement Name
2. Name of Operator Ernest A. Hanson	8. Farm or Lease Name Max Gutman
3. Address of Operator P. O. Box 1515, Roswell, New Mexico	9. Well No. 4
4. Location of Well UNIT LETTER F , 2080 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 19 TOWNSHIP 22-S RANGE 38-E NMPM.	10. Field and Pool, or Wildcat Blinebry Oil
15. Elevation (Show whether DF, RT, GR, etc.) 3348' GL	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER Re-enter P. & A. well <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 4-28-67 Moved in double derrick pulling unit and reverse circulating unit.
- 5- 4-67 Drilled out 4-1/2" casing to 5225'. Squeezed old perfs. @ 5110-30' with 100 sx. Incor cement. Shut in well.
- 5- 5-67 Drilled out cement and tested hole at 4000 lbs. for 30 mins. No leaks during test. Commence drilling out rest of hole.
- 5- 6-67 Finished drilling out old hole to 5785'. Move reverse unit.
- 5- 9-67 Perforated 1 - 0.50' jet per ft. @ 5624, 5627, 5633, 5647, 5657, 5690, 5695, 5708. Acidized all perfs. with 2500 gals. 15% DS-30 and ball sealers via 2-3/8" tubing. Pull tubing.
- 5-10-67 Frac. Blinebry perfs. with 35,700 gals. lease oil + 30,000 lbs. 20-40 sand + 1500 lbs. 10-20 sand + 800 lbs. Adomite. Run 2-3/8" tubing @ 5600'. Swab well in and commence recovering load oil.
- 5-15-67 Recovered load. IPF 87 BOPD. CP 750 lbs. FTP 150 lbs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *Harry F. Schuman* TITLE Exploration Manager DATE May 29, 1967

APPROVED BY *Leshie N. Clements* TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: