



PETROLEUM PRODUCTS

August 24, 1971

TEXACO INC.
DRAWER 728
HOBBS, NEW MEXICO 88240

Mr. L. A. Clements
Oil Conservation Commission
P.O. Box 1980
Hobbs, New Mexico 88240

Re: Packer Leakage Tests

Dear Sir:

In reference to your letter dated August 12, 1971 requesting pressure recordings from Texaco's A.H. Blinbry Federal (NCT-1) Well No. 14, this is to advise that the subject well is no longer a multiple completion. Both of the lower zones have been abandoned with plugs and cement. The upper zone is being held shut-in pending review of possible stimulation. The Drinkard was abandoned by setting a Baker Model 'DR' plug in the Model 'D' packer at 6450'. The plug was capped with 18 feet of sand and 10 feet of hydromite. The Tubb (Oil) zone was abandoned by setting a cast iron bridge plug at 5420' and dumping 10 feet of hydromite on the bridge plug.

Attached for your information is a diagrammatic sketch of the subject well.

Yours very truly,

W. E. Morgan
W. E. Morgan
District Superintendent

ELW/CPC-BH

Attachment

RECEIVED.

AUG 26 1971


**OIL CONSERVATION COMM.
HOBBS, N. M.**

DATE 6-27-71

LOCATION _____ EST. No. _____

BY SLWSUBJECT A-H-BLINDBOY FED. (NORTH) No. 14 C.K'D _____

APP'D _____



RECEIVED

AUG 26 1971

**OIL CONSERVATION COMM.
HOBBS, N. M.**