


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Gulf Oil Corporation, Box 661, Tulsa 2, Oklahoma

Company or Operator
Evelyn Lineberry Well No. **1** in **NE SW** of Sec. **29** T. **22S**
Lease
R. **38E** N. M. P. M. **Drinkard** Field, **Lea** County.
Well is **660** feet south of the North line and _____ feet west of the East line of **Sec 29-22S-38E**
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is **Gulf Oil Corporation** Address **Tulsa, Oklahoma**
Drilling commenced **July 1** 19 **45** Drilling was completed **September 1** 19 **45**
Name of drilling contractor **Taber and Coleman** Address **Philtower Bldg., Tulsa, Okla.**
Elevation above sea level at top of casing **3386** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **Andrews pay 6920' 7002'** to _____
No. 2, from _____ to _____
No. 3, from _____ to _____
No. 4, from _____ to _____
No. 5, from _____ to _____
No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
15-5/8	48#	8R	Smls.St. 505'						
9-7/8	56	8R	Smls.St. 2960'						
7	25	8R	* 6906'						

*AOS Hy-Yield BW-50 jts. Seamless steel, Grade J-150 jts.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
16"	15-5/8	505	500	Howee		
12-1/2	9-7/8	2960	1500	Howee		
8-5/4	7	6906	700	Howee		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
9-14-45		Acidized with 2000 gallons.				

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **7002** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **9-18** 19 **45**
The production of the first 24 hours was **504** barrels of fluid of which **100** thru **11/32"** choke % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be. **41**
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. **casing pressure 660#** **Tubing 180#**

EMPLOYEES

Taber & Coleman Driller _____ Driller _____
Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **1st**day of **March** 19 **46**

H. W. Evans
Notary Public

My Commission expires **March 14 1948**Tulsa, Oklahoma **3-1-46** DateName **A. M. Bell, Jr.** ✓Position **General Superintendent**Representing **Gulf Oil Corporation**

Company or Operator

Address **Box 661, Tulsa 2, Oklahoma**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	505'		Red rock, shells
505	765		Red bed, shale
765	950		Red bed, shells
950	1040		Shale
1040	1240		Red bed, shale
1240	1275		Red rock
1275	1360		Anhydrite
1360	1480		Salt
1480	2530		Anhydrite, salt
2530	3435		Anhydrite
3435	5525		Brown lime
5525	5565		Lime
5565	5425		Brown lime
5425	5452		Lime
5452	5513		Brown lime
5513	7002		Lime
7002			TOTAL DEPTH