

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator GULF OIL CORPORATION	8. Farm or Lease Name Scarborough Estate
3. Address of Operator P.O. Box 670, Hobbs, NM 88240	9. Well No. 6
4. Location of Well UNIT LETTER <u>G</u> <u>-1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>31</u> TOWNSHIP <u>22S</u> RANGE <u>38E</u> N.M.P.M.	10. Field and Pool, or Wildcat Blinebry
15. Elevation (Show whether DF, RT, GR, etc.) 3336' GL	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPMS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5860' TD. 5840' PB. POH w/tbg. Set a CIBP @ 5600' & cap w/35' cmt. Circ hole w/abandonment mud. Set a CIBP @ 3800'. Tst csg to 500#. Cap CIBP w/35' cmt. Perf 4 1/2" csg @ 1300' w/(4) 1/2" 90°-phased holes. Set cmt rtnr @ 1250'. Cmt as follows:
(a) Pmp 500 sx Class "C" cmt + 10% salt by volume + 0.5% CFR-2.
(b) Pmp 5 bbls fresh water.
(c) Pmp 25 bbls Howco Flo Check.
(d) Pmp 5 bbls fresh water.
(e) Pmp 50 sx Class "H" cmt.

Repeat steps (b) through (e) four more times. Rvrs out excess cmt. Circ hole w/abandonment mud above rtnr. Spot 50' surface plug & install dry hole marker. Clean & clear location.

THIS DOCUMENT IS TO BE FILED IN THE RECORDS OF THE OIL CONSERVATION DIVISION FOR THE C-103 TO BE APPROVED

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED N. B. Likes, Jr. TITLE Area Engineer DATE 2-26-80

APPROVED BY [Signature] TITLE [Signature] DATE FEB 27 1980

CONDITIONS OF APPROVAL, IF ANY:

Expire 8/27/80

914 89NSERVATION DIV.

FEB 26 1980

RECEIVED