

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
1625 N. French Dr.
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address and Telephone No.

P. O. Box 3109, Midland, TX 79702 (915) 688-4438

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter D, 660' FNL, 660' FWL
Section 31, Township 22S, Range 38E

5. Lease Designation and Serial No.
LC032104

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Blinbry, A.H. Federal
NCT-3 #1

8. Well Name and No.

9. API Well No.
30-025-12175

10. Field and Pool, or Exploratory Area

Paddock, South
11. County or Parish, State

Lea, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. RIH w/Tbg Tag TOC on CIBP @ + - 5125' (Blinbry) Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL
2. Spot 40 Sx plug 5125'-4950' (Sqz'd Paddock Perfs)
3. Spot 40 Sx plug 3400'-3200' (Queen)
4. Spot 55 Sx plug 3000'-2700' (9 5/8" shoe, Base Salt) WOC Tag
5. Spot 40 Sx plug 1400'-1200' (T-Salt)
6. Perf 7" Csg w/6 holes @ 370', Sqz 100 Sx 7" X 9 5/8" 370'-200' (13 3/8" shoe) WOC Tag
7. 10 Sx surface, Install dry hole marker.

**APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS ATTACHED**

14. I hereby certify that the foregoing is true and correct

Signed

Title FACILITY ENGINEER

Date 4/16/01

(This space for Federal or State office use)

(ORIG. SGD.) ALEXIS C. SWOBODA

PETROLEUM ENGINEER

Date

MAY 29 2001

Approved by
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

GWW

ST 101 2 11 11000000
ST 101 2 11 11000000
ST 101 2 11 11000000

11/11

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR TEXACO Exploration & Production
LEASENAME A.H. BLINEBRY FED. NCT 3

WELL # 1

SECT 31 TWN 22S RNG 38E

FROM 660 N SL 660 E ML

TD: 6155 FORMATION @ TD TUBB

PBTD: 5365 FORMATION @ PBTD BLINEBRY

13 3/8
@ 305
TOC SURF

9 5/8
@ 2885
TOC SURF

Paddock SQZ'd
PERFS

7"
@ 6150
TOC 1015

TD 6155

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	13 3/8	305	SURF	Circ
INTMED 1	9 5/8	2885	SURF	Circ
INTMED 2	7	6150	1015	TS
PROD				
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1		PERFS	-	
INTMED 2		OPENHOLE	-	
PROD				

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANHYD)	*
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	*
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	*
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	CMNT		
EXAMPLES			
PLUG # 1	OH	25 SXS	9850'
PLUG # 2	SHOE	50 SXS	8700'-8800'
PLUG # 3	CIBP/35'		5300'
PLUG # 3	CIBP	25 SXS	5300'
PLUG # 4	STUB	50 SXS	4600'-4700'
PLUG # 6	RETNR SQZ	200 SXS	400
PLUG # 7	SURF	10 SXS	0-10'
PLUG # 1	Paddock	40 SX	5125-4950
PLUG # 2	QUEEN	40 SX	3400-3200
PLUG # 3	9 5/8s	55 SX	3000-2700
PLUG # 4	T-SALT	40 SX	1400-1200
PLUG # 5	13 3/8s	100 SX	370-200
PLUG # 6	SURF	10 SX	10' - SURF
PLUG # 7			
PLUG # 8			
PLUG # 9			
PLUG # 10			
PLUG #			
PLUG #			