


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Kelly Oil Company J. V. Baker
Company or Operator Lease
Well No. LPG #1 in Sec. 27 of Sec. 27, T. 22N
R. 37E, N. M. P. M., Field, Lea County.
Well is 2310 feet south of the North line and 4290 feet west of the East line of Section 27
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is Kelly Oil Co. Address Tulsa, Oklahoma
If Government land the permittee is _____ Address _____
The Lessee is Kelly Oil Co. Address Tulsa, Oklahoma
Drilling commenced February 9, 1952 Drilling was completed February 14, 1952
Name of drilling contractor Yucca Drilling Co. Address _____
Elevation above sea level at completeness E. 3340 feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from Storage all to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
<u>2-5/8</u>	<u>23</u>	<u>80</u>	<u>Nat'l.</u>	<u>199</u>					
<u>3-5/8</u>	<u>24</u>	<u>80</u>	<u>Nat'l.</u>	<u>1681</u>					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>12-1/4</u>	<u>8-5/8</u>	<u>1861</u>	<u>850</u>	<u>Halliburton</u>		

PLUGS AND ADAPTERS

Heaving plug Material _____ Length _____ Depth Set _____
Adapters Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 2095 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing Storage all 19____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

L. E. Locke Driller _____ Driller
L. E. Williamson Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico - February 25, 1952
Place Date

Name W. J. WilliamsPosition 1st. Asst.Representing Kelly Oil Company
Company or Operator.Address Box 38 - Hobbs, New Mexico


FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION (Driller's)
0	41	41	Caliche & surface Sand
41	621	580	Red Bed
621	1140	519	Red Bed & Shells
1140	1347	207	Anhydrite & Gypsum
1347	1590	243	Salt, anhydrite & Shells
1590	1861	271	Salt & Anhydrite
1861	2085	224	Salt
2085	2095	10	Anhydrite
Total Depth - 2095'			
			<u>Formation</u> <u>Top</u>
			Anhydrite 1135'
			Salt 1230'

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Kelly Oil Company J. V. Baker
Company or Operator Lease
Well No. LPG #1 in SE 1/4 NW of Sec. 27, T. 22S
R. 37E, N. M. P. M., Field, Lea County.
Well is 2310 feet south of the North line and 4290 feet west of the East line of Section 27
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is Kelly Oil Co., Address Tulsa, Oklahoma
If Government land the permittee is _____, Address _____
The Lessee is Kelly Oil Co., Address Tulsa, Oklahoma
Drilling commenced February 9, 1952. Drilling was completed February 14, 1952.
Name of drilling contractor Yucca Drilling Co., Address _____
Elevation above sea level at surface N.E. 3340 feet.
The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from Storage all to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2 from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4 from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
<u>8-5/8</u>	<u>23</u>	<u>80</u>	<u>Nat'l.</u>	<u>199</u>				
<u>8-5/8</u>	<u>24</u>	<u>80</u>	<u>Nat'l.</u>	<u>1681</u>				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>12-1/4</u>	<u>8-5/8</u>	<u>1861</u>	<u>350</u>	<u>Halliburton</u>		

PLUGS AND ADAPTERS

Heaving plug Material _____ Length _____ Depth Set _____
Adapters Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 2095 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing Storage all, 19____.

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____.

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

M. L. Locke Driller _____ Driller _____
A. T. Williamson Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico - February 25, 1952.
Place Date

Name W. C. WilliamsPosition Asst. Supt.Representing Kelly Oil Company
Company or Operator.Address Box 33 - Hobbs, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION (Driller's)
0	41	41	Caliche & Surface Sand
41	621	580	Red Bed
621	1140	519	Red Bed & Shells
1140	1347	207	Anhydrite & Gypsum
1347	1590	243	Salt, Anhydrite & Shells
1590	1861	271	Salt & Anhydrite
1861	2085	224	Salt
2085	2095	10	Anhydrite
Total Depth - 2095'			
			<u>Formation</u> <u>Top</u>
			Anhydrite 1135'
			Salt 1230'