HMITTH STATES

WATER SHUT-OFF

(Other)

SHOOTING OR ACIDIZING

Form approved.

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(May 1963)	UNI U SIAILS SUBMIT IN THE			eau No. 42-R1424.	
D	EPARTMEN OF THE INTERIOR (Other Instruct	10118	5. LEASE DESIGNATIO	N AND SERIAL NO.	
	GEOLOGICAL SURVEY		LC-032104		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
Use	e "APPLICATION FOR PERMIT—" for such proposals.)				
1.			7. UNIT AGREEMENT NAME		
WELL X WELL OTHER					
2. NAME OF OPERATOR			8. FARM OR LEASE NAME		
TEXACO INC.			A.H. Blinebry	Fed. NCT-3	
3. ADDRESS OF OPERATOR			9. WELL NO.		
P.O. Box 728, Hobbs, New Mexico 88240			3		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*			10. FIELD AND POOL, OR WILDCAT		
See also space 17 below.) At surface			Brunson Ellenburger South		
2306' from the North Line & 660' from the West Line of			11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA		
Section 31. Township 22-S. Range 38-E. Unit E. Lea Co.,			Sec 31, T-22-S, R-38-E		
N.M.		•	1	•	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)		12. COUNTY OR PARISH 13. STATE		
Regular	3317' (DF)		Lea	N.M.	
16.	Check Appropriate Box To Indicate Nature of Notice, R	eport, or C)ther Data		
NOTIC	CE OF INTENTION TO:	SUBSEQ	UENT REPORT OF:		
			_		

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) Recomplete in Drinkard 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Pull rods & pump from Ellenburger zone.

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON* CHANGE PLANS

- Set RBP in Ellenburger string @ 7000'.
- Perforate Ellenburger string in Drinkard zone w/ 1 JSPF @ 6308'-6314', 6430-6432', 6666'-6670', 6753'-6755', 6853'-6859', 6872'-6894'.
- Acidize Drinkard perforations 6308'-6894' w/6500 gals. 15% NE acid in 4 stages w/2000 gals. in 1st stage & 1500 gals. in last 3 stages. Use ball sealers between stages.
- Flush w/30 bbls. fresh water.

TEST WATER SHUT-OFF

FRACTURE TREAT

REPAIR WELL

SHOOT OR ACIDIZE

Swab, test and produce Drinkard zone, abandoning Ellenburger zone.

18. I hereby certify that the foregoing is true and correct	TITLEASSISTANT District Supt.	DATE 10-7-75
(This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE