

BOARD OF DRILL-STEM AND SPECIAL T

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3800 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing April 21, 1953

OIL WELL: The production during the first 24 hours was 57 barrels of liquid of which 99.7% was oil; -% was emulsion; 0.3% water; and -% was sediment. A.P.I. Gravity 37.3 deg.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates 2998' (+380')	T. Simpson	T. Pictured Cliffs
T. 7 Rivers 3211' (+167')	T. McKee	T. Menefee
T. Queen 3603' (-228')	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T. Base Red Beds 1188' (+2190')	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	260	260	Surface Sands & Caliche				
260	1188	928	Red Beds				
1188	2998	1810	Salt & Anhydrite				
2998	3211	213	Sand, Shale, Dolomite				
3211	3603	392	Dolomite, Sand, Shale				
3603	3800	197	Sand, Dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

April 23, 1963 (Date)
Company or Operator Shell Oil Company Address P. O. Box 1858, Roswell, New Mexico
Name R. A. Lowery R. A. Lowery Position or Title District Exploitation Engineer