

LEA COUNTY

GACKLE, ALBERT, #9 Sinclair-Stata "A" - Sec. 23-23S-36E

N.M.

Page 2

2-3-64 TD 3747', PBD 3725', prep to test on pump.
Perf 3646-52'
Ac. 1000 gals.
2-10-64 TD 3747', PBD 3725', tstg. on pump.
Pmpd 16½ BO + 13 BW in 24 hrs.
2-17-64 TD 3747', PBD 3725', tstg. on pump.
Pmpd 9½ BO + 3 BW in 24 hrs.
2-24-64 TD 3747', PBD 3725', tstg. on pump.
Pmpd 15 BO + 5 BW in 24 hrs.
3-2-64 TD 3747', PBD 3642', flwg load.
Set BP @ 3642'
Perf @ 3591', 3605', 3608', 3612', 3616',
3623', 3628', 3635' & 3637' w/1 SPI
Frac 20,000 gals oil + 20,000# sd.
TD 3747', PBD 3642', COMPLETED.

3-9-64

(HOLDING FOR TOPS):
3-16-64 TD 3747', PBD 3642', Completion Reported.

OWWO

COUNTY	LEA	FIELD	Langlie-Mattix	STATE	NM	MIN	20542
OPR	CACKLE, ALBERT						MAP
9 Sinclair "a" State							
Sec 23, E-23-S, R-36-E							
660' FSL, 660' FEL of Sec							
CLASS <i>OWOF</i> EL <i>3378[±]</i>							
Re-comp 11-11-70		FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING							
8 5/8" at 277' w/150 sx							
4 1/2" at 3750' w/250 sx							
LOGS EL GR RA IND HC A							
		at 3750', FPD 3580'					
(Queen) Perfs 3480-3546' NO NEW POTENTIAL							

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP. DEPTH	3546'	TYPE	W
DATE				

P.R.C. 12-6-70, Opr's Elev. 3378' Lr
 ID 3546' w/ (Queen)
 (Orig. Comp 3-6-64 thro Perfs 3591-3637',
 CID 3750', Off 3642')
 12-1-70 ID 3750', FPD 3580', COMPLETED
 Fd to 3580
 Perfs 3480', 3486', 3491', 3497', 3507',
 3516', 3525', 3534', 3538', 3546' w/1 CFI
 Acid (3480-3546') 1000 gals
 Frac (3480-3546') 36,880 gal: oil + 20,000# sd
 Fpd 30 Fd + 15 FW in 24 hrs (3480-3546')
 12-1-70 COMPLETION REPORT