Submit to Appropriate Distric State Lease-6 copies	t Office	E	State o En، یy, Minera	of New Mexic ls and Natura		irces			
Fee Lease-5 copies DISTRICT I									Form C-105
1625 N. French Dr., Hobbs, N	M 88240								Revised March 25, 1999
<u>DISTRICT II</u>							WELL API NO.		
811 South First, Artesia, NM	88210		OIL CONSERVATION DIVISION				30-025-20562		
DISTRICT III 1000 Rio Brazos Rd., Aztec. I DISTRICT IV	NM 87410		2040 South Pacheco Santa Fe, NM 87505				 5. Indicate Type of Lease STATE ✓ FEE 6. State Oil & Gas Lease No. 		
2040 South Pacheco, Santa Fe	e, NM 87505								
WEL	L COMPLETI	ON OR RE	COMPLETION	NREPORT A	ND LC)G			
 Type of Well: OIL WELL b. Type of Completion: 	GAS V	/ELL [THER			7. Lease Name (or Unit Agreement	^{t Name} Grizzell
New Well	Workover	Deepen	✓ Plug Back	Diff. I	Resvr.	Other			
2. Name of Operator	ion						Well No.	0	
Apache Corporat 3. Address of Operator	1011						9. Pool name or	9 Wildcat	,
2000 Post Oak B	lvd., Ste. 100,	Houston, Te	exas 77056-440	00			Eunice; S	an Andres,	, Southwest
4. Well Location		010		C		1000			
Unit Letter Section	8 Town	-	Feet From The 22S	Range 3	Line and 7E	1980 NMPN		County	
 Date Spudded 	 Date T.D. Reached 	12. [Date Compl. (Ready to Pro 9/15/00	,	13. Elevatio	ons (DF& RKB, RT, GR 3404	(, erc.) GR	 Elev. Casingh 	lead
15. Total Depth 6575	16. Plug Back T.I 52	5. 290	17. If Multiple Compl. Many Zones?	How		18. Intervals Drilled By	Rotary Tools		Cable Tools
19. Producing Interval(s), of		ottom, Name	-			<u></u>	· · · - ·	20. Was Direction	nal Survey Made
San Andres 3800 21. Type Electric and Other 1							22. Was Well Cored		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
23.			CASING RE	COPD (Ron	ort all	strings sat in	wall)		
CASING SIZE	WEIGHT LE	3./FT.	DEPTH SET	HOLE SI			NTING RECC	RD	AMOUNT PULLED
8-5/8	32#		275	12-1/4			ilated to Surface		
4-1/2	. 12#_					<u>800 sx / TOC</u>	<u>: @ 2862' ((</u>	Calc)	· · ·
			• • • •			· · · · -			
24.		INER RECOR			25.			UBING REC	
SIZE	TOP I	OTTOM	SACKS CEMENT	SCREEN		size		<u>гн set</u>)90	PACKER SET
· · · · · · · · · · · · · · · · · · ·						2•110		<i></i>	
26. Perforation record	l (interval, size, and	l number)	<u></u>	·		D, SHOT, FRAC	TURE, CEME		
San Andre s 3800, 06	10 21 42 42 51	55 61 79 9	5 03 2002	11		<u>7th interval</u> 800 - 4066	A oidize w/ A	AMOUNT AN 500 gals 15%	D KIND MATERIAL USED
541 Andres 5800, 06 07, 10, 71, 79, 4015, 4" - 29 Holes			, 63, 66 (IKKE		800 - 4000	Actuize w/ 4		
Blinebry 5428-5953 (Abandoned)							CIBP @ 5325' w/ 35' cement		
Drinkard 6459-6509 (Abandoned)						CIBP @ 6500' w/ 35' cement			ment
28.				PRODUCT	ION		1		
Date First Production				(Flowing, gas lift, pu	imping - Sizi			Well Sta	tus (Prod. or Shut-in)
9/15/00 Date of Test	Hours Tested	Chok	e Size Prod'i	nping - 1.5" I	Rod Ins	Gas - MCF	Water - Bb		Gas - Oil Ratio
9/27/00	24		Test F		3	292	286		97333
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MC	F	Water - Bbl.			il Gravity - API - (Corr.) 33
29. Disposition of Gas (Sold) Sold	, used for juel, vented, et	<i>c.</i>)					Apache C	та Corporation	est Witnessed By I
30. List Attachments						<u> </u>		<u> </u>	
C-103 Sundry No 31. I hereby certify that the		oth sides of this for	m is true and complete to	the best of my knowl	edge and be	lief			
S1. 1 nereoy certyy that the Signature	listala	Lave	Certer	Printed		nderson	Title Sr. I	Engineerin	g Technician Date 10/24/00
$\left(\right)$	(J							S. KZ

INSTRUCTIONS

This form is to filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radic-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

	S	Southeasterr	n Ne	w Mexico				Northwestern	New Mexico
T. Anhy			Т.	Canyon			T. Ojo Alamo		T. Penn. "B"
T. Salt			Т.	Strawn			T. Kirtland-Frui	tland	T. Penn. "C"
B. Salt			. T.	Atoka			T. Pictured Clif	ifs	T. Penn. "D"
T. Yates		······································		Miss			T. Cliff House		T. Leadville
T. 7 Rivers			Т.	Devonian			T. Menefee		T. Madison
T. Queen			Т.	Silurian			T. Point Lookou	ut	T. Elbert
T. Grayburg			Т.	Montoya			T. Mancos		T. McCracken
T. San And	res		Т.	Simpson			T. Gallup		T. Ignacio Otzte
T. Glorieta			Т.	McKee			Base Greenhor	n	T. Granite
T. Paddock				Ellenburger			T. Dakota		T
T. Blinebry				Gr. Wash			T. Morrison		_T
T. Tubb			Т.	Delaware Sar	nd		T. Todilto		Т
T. Drinkard			Τ.	Bone Springs			T. Entrada		Т
T. Abo			Τ.	Rustler			T. Wingate		Т
T. Wolfcam	ip		Т.				T. Chinle		Т
T. Penn			Т.				T. Permain		т
T. Cisco (B	ough C)		, Т.				T. Penn "A"		_т
							DS OR ZON		
No. 1, from			^{to}			No. 3, from			to
No. 2, from			to			No. 4, from			_to
							TER SAND	S	
				ition to which water					
	• • • • • • • • • • • • • • • • • • • •			to				feet	
No. 2, from	••••••	•••••••							
				to				feet	
					<u> </u>				
· · · · ·		LI	THO	LOGY RECOP		(Attach a	dditional she	eet if necessary)	r
From	То	LI Thickness in Feet	ТНО	LOGY RECOF		(Attach a	dditional she	eet if necessary) Thickness in Feet	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in		LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in		LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	
· · · ·		Ll Thickness in	THO	LOGY RECOP				eet if necessary)	