



© Copyrighted Reproduction Prohibited

CONTR	OPR'S ELEV	3386' DF	PD	6347' WO
-------	------------	----------	----	----------

Acid (6236-6347') 6000 gals
COMPLETION REPORTED

COUNTY		LEA		FIELD Blinebry/Drinkard		STATE NM	
OPR		TEXACO INC.				MAP	
		26 Blinebry, A. H.-Federal (NCT-1)					
		Sec. 29, T-22-S, R-38-E				CO-ORD	
		660' fr N Line & 1980' fr E Line of Sec.					
		Spd 6-10-65; Cmp 7-10-65 (Bli);		CLASS		EU	
		Cmp 7-9-65 (Drkd)					
CSG & SX - TUBING				FORMATION		DATUM	
				LOG:			
9 5/8" 1394' 670				Glor 5213			
2 7/8" 7197' 1200				Bli 5618			
2 7/8" 7197' 1200				Tubb 6229			
				Drkd 6520			
LOGS EL GR RA IND HC A							
				TD 7200', PBD 7190'			
IP Blinebry Perfs 5626-5831' Flwd 228 BOPD. Pot. Based on 13 hr test of 124 BO thru 18/64" chk., CP 425#, Gravity 40.6, GOR 1579. IP Drinkard Perfs 6972-7169' Flwd 69 BOPD. Pot. Based on 24 hr test thru 25/64" chk., TP 150#, Gravity 40.6, GOR 1280.							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT.				PROP DEPTH		7200' TYPE	
DATE							

F.R. 5-20-65
PD 7200' - Drinkard

6-14-65 Drlg. 2890'.
6-21-65 Drlg. 5202'.
6-28-65 Drlg. 6540'.
DST 5179-5239', open 1 hr,
Rec 50' GCM, 20' HO&GCM + 30' GC Sul Wtr,
30 min ISIP 250#, FP 109-109#,
1 hr FSIP 1097#.

7-6-65 TD 7200', PBD 7190', prep to perf.
7-12-65 TD 7200', PBD 7190', COMPLETED.
Perf (Blinebry) @ 5626', 5643', 5707', 5716',
5730', 5746', 5756', 5766', 5790', 5799',
5804', 5831' W/1 SPI
Ac. 2500 gals.,
Frac 15,000 gals oil + 22,500# sd.

LEA Blinebry/Drinkard NM Sec. 29-22S-38E
TEXACO INC., #26 Blinebry, A. H.-Federal (NCT-1)-Page #2

7-12-65

Continued

Perf (Drinkard) @ 6972', 6997', 7004', 7026',
7066', 7078', 7109', 7127', 7145', 7152',
7169' W/2 SPI

Ac. 500 gals (MA)

Re-Ac. 10,000 gals. 6972-7169'.