

MN 21406

COUNTY LEA FIELD Blinebry STATE NM OWWO

OPR - TEXACO INC. MAP

28 Blinebry, A. H. Fed NCT-1

Sec 29, T-22-S, R-38-E CO-ORD

990' FNL, 330' FEL of Sec.

Re-Cmp 5-21-69		CLASS OWOF		EL [REDACTED]	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
8 5/8" at 1315' w/600 sx					
2 7/8" at 7310')					
2 7/8" at 7310') w/2100 sx					
LOGS EL GR RA IND HC A					
		TD 7310'; PBD 7303'			

IP (Blinebry) Perf 5721-6019' P 12 BOPD + 38 BW. Pot based on 24 hr test.

(Drinkard) Perf 7002-7257' NO CHANGE.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	6019'	TYPE	WO
DATE				

F.R.C. 7-24-69

PD 6019' WO (Blinebry)

(Orig comp 8-28-65 thru (Tubb) Perfs 6312-6418' & (Drinkard) Perfs 7002-7257', OTD 7310', OPB 7303')

7-21-69 TD 7310'; PBD 7303'; COMPLETE

Set BP @ 6200' (Tubb String)

Perf (Blinebry) @ 5721', 5742-45', 5748-51', 5795', 5801', 5806', 5812', 5816', 5821', 5826', 5845', 5850', 5857', 5870', 5876', 5886', 5895', 5902', 5914', 5961', 5964', 5983', 5988', 5990', 5999', 6019' w/1 SPI

Acid (5721-6019') 3000 gals

7-24-69 Frac (5721-6019') 30,000 gals wtr + 30,000# sd

COMPLETION REPORTED

COUNTY	LEA	FIELD	Tubb-Drinkard	STATE	NM
OPR	TEXACO INC.				MAP
28 Blinebry, A. H.-Federal (NCT-1)					
Sec. 29, T-22-S, R-38-E				CO-ORD	
990' fr N Line & 330' fr E Line of Sec.					
Spd 7-28-65;		CLASS E [REDACTED]			
Cmp 8-28-65;					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
8 5/8" at 1315' w/600 sx		Glor 5306			
2 7/8" at 7310' (w/1050 sx		Blinebry			
		5720			
		Tubb 6295			
		Drinkard			
LOGS EL GR RA IND HC A		6638			
TD 7310'; PBD 7303';					
IP(Tubb) Perf 6312-6418' F 144 BOPD + 40 BW. Pot based on 12 hr test of 72 BO + 20 BW thru 21/64" chk; GOR 1167; Grav 40.2; TP 100					
IP(Drinkard) Perf 7002-7257' F 264 BOPD + 3 BW. Pot based on 7 hr test of 77 BO + 1 BW. thru 26/64" chk; Grav 40.8; TP 300#.					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT.		PROP DEPTH 7310'		TYPE	
DATE					

F.R. 7-1-65
PD 7310' - Tubb-Drinkard

8-2-65 Drlg. 3414'
8-9-65 Drlg. 5395'
8-16-65 Drlg. 6953' 1m
8-23-65 TD 7310'; PBD 7303'; Prep acidize
Perf (Tubb) @ 6312', 6315', 6322', 6333', 6366',
6386', 6397', 6401', 6413', 6418' w/1 SPI;
Perf (Drinkard) @ 7002', 7032', 7070', 7095', 7102',
7110', 7126', 7148', 7151', 7162', 7182', 7196',
7239', 7253', 7257' w/1 SPI;

8-30-65 TD 7310'; PBD 7303'; COMPLETE
Acid (Tubb 6312-6418') 2000 gals;
Frac 5000 gals + 10,000# sd;

LEA Tubb-Drinkard NM Sec. 29-22S-38E
TEXACO INC. 28 Blinebry, A. H.-Federal (NCT-1) Page #2

-65

Continued

Acid (Drinkard 7002-7257') 500 gals;

Re-Acid (7002-7257') 10,000 gals;