

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division

1625 N. French Dr.
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Case Designation and Serial No.
LC-032104

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address and Telephone No.

P. O. Box 3109, Midland, TX 79702 (915) 688-4438

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter F, 1980' FNL, 1650' FWL
Section 28, Township 22 S, Range 38E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No. A.H. Blinbr
Federal NCT # 31

9. API Well No.

30-025-21409

10. Field and Pool, or Exploratory Area

Brunson Drinkard
ABO South of Tubb

11. County or Parish, State

Lea, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Tag TOC Z-Side (Tubb). Fill 2 7/8" csg w/125 sx cmt 6400' - 1500'
2. Set 2 7/8" CIBP @ 7050' Y-Side (Drinkard-ABO). Fill 2 7/8" csg w/75 sx cmt 7050' - 4200'
3. Perf 6 holes Y-Side @ 3650', sqz 50 sx cmt 3650' - 3350' (Queen) WOC Tag
4. Perf 6 holes Y-Side @ 2800', sqz 50 sx cmt 2800' - 2500' (B-salt, Yates) WOC Tag
5. Cut 2 7/8" csqs @ 1500', L/D both csg strings spot 75 sx plug 1500' - 1300' (8 5/8 shoe, T-salt) WOC Tag
6. Displace hole w/salt gel mud, 9.5# brine w/25# gel P/BBL
7. Spot 10 sx surf, install dry hole marker

14. I hereby certify that the foregoing is true and correct

Signed J. T. Corbett

Title FACILITY ENGR

Date 7/26/00

(This space for Federal or State office use)

Approved by
Conditions (if any) (CHG. SGT.) GARY GOURLEY

Title PETROLEUM ENGINEER

Date AUG 21 2000