

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-101
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
Gulf Oil Corporation

3. Address of Operator
Box 670, Hobbs, New Mexico 88240

4. Location of Well
UNIT LETTER **P**, **990** FEET FROM THE **South** LINE AND **990** FEET FROM
THE **East** LINE, SECTION **32** TOWNSHIP **22-S** RANGE **38-E** NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
3401' GL

5a. Indicate Type of Lease
State ☒ Fee ☐

5. State Oil & Gas Lease No.
B-4467-1

7. Unit Agreement Name

8. Farm or Lease Name
T. R. Andrews

9. Well No.
1 7

10. Field and Pool, or Wildcat
South Paddock

12. County
Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
OTHER <u>Abandon South Paddock and complete in South Brunson Ellenburger</u> <input type="checkbox"/>		OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7817' TD, 5334' PB.

Pull producing equipment. Squeeze South Paddock perforations 5244' to 5251' with 150 sacks of Class C cement. WOC 24 hours. Clean out and test squeezed perforations with 500#, 30 minutes. Clean out to top of cement at 7778', exposing 7" South Brunson Ellenburger perforations 7583' to 7756'. Run tubing, rods and pump and place well on production.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Glyn Stone TITLE Project Petroleum Engineer DATE February 19, 1976

APPROVED BY Only by TITLE Project Petroleum Engineer DATE February 19, 1976

CONDITIONS OF APPROVAL, IF ANY: None