

NMOC

RECEIVED N.M.O.C.C.
FEB 25 3 04 PM '66

February 25, 1966

New Mexico Oil Conservation Commission
P. O. Box 2088
Santa Fe, New Mexico

Re: Application for Exception to
Statewide Rule 107(e), TEXACO
Inc. A.H. Blinebry NCT-1 Well
No. 35, Drinkard Pool, Lea
County, New Mexico.

Attention: Mr. A. L. Porter, Jr.

Gentlemen:

TEXACO Inc. respectfully requests exception to Statewide Rule 107(e) to authorize the tubingless completion of A.H. Blinebry NCT-1 Well No. 35 in the Drinkard Pool. This well is located 660 feet from the south line and 660 feet from the west line of Section 21, Township 22 South, Range 38 East, Lea County, New Mexico.

Surface casing consists of 8-5/8 inch pipe set at 1410 feet in anhydrite and it is cemented to surface with 400 sacks of Trinity Lite Water cement followed by 200 sacks of Class 'C' neat cement. Production casing shall consist of 2-7/8 inch pipe to be set at total depth of approximately 7410 feet and it is to be cemented with 400 sacks of Trinity Lite Water cement followed by 400 sacks of Class 'C', 4% gel, cement. The cement volume equals 153% of the calculated annular volume from total depth to the base of the salt expected at 2530 feet.

No corrosion or other production problems have been encountered in tubingless wells previously completed in the Drinkard Pool. The New Mexico Oil Conservation Commission has previously approved the tubingless completion of wells in the Drinkard Pool, an example being the TEXACO Inc. A.H. Blinebry NCT-1 Well No. 30.

Yours very truly,


Dan Gillett

Assistant District Superintendent

WPY-bh

CC: NMOC-Hobbs

USGS-Hobbs

Offset Operators

Attachments

1950

File # 100-101000-2 File opened 10/1/68
 2005 Vol. 1
 Page 400 of 400

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.


Condition	Control (n=10)	MCI (n=10)	AD (n=10)
A	~90%	~70%	~50%
B	~95%	~75%	~55%
C	100%	80%	60%
D	~90%	~70%	~50%

1. The first group of people who are affected by the disease are those who are in the early stages of the disease. They are the ones who are most likely to be affected by the disease. They are the ones who are most likely to be affected by the disease. They are the ones who are most likely to be affected by the disease.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

1. *Journal of the American Medical Association*, 1997; 277: 1033-1037.

2-7/8" Production casing to be cemented with 400 sacks Trinity Lite Wate followed by 400 sacks Class 'C', 4% gel, cement. Cement volume equals 153% of the calculated annular volume from TD to base of the salt expected at 2530'.




TEXACO Inc.

Sketch-Single Tubingless

Name: A.H. Blinbry NCT-1 Well No. 35
 Field: Drinkard
 Date: February 25, 1966

R-33-5



TEXACO Inc.
A. H. Blinebry (NCT-1) Lease
Lea County, New Mexico
Scale: 1" = 2000'

Offset Operators

Gulf Oil Corp., Box 1938, Roswell, New Mexico
R. M. Moran, Box 1718, Hobbs, New Mexico
Union Texas Natural Gas Corp., Box 196, Midland, Tex.
E. A. Hanson, Box 1515, Roswell, New Mexico
Western Oil Fields, Box 1147, Hobbs, New Mexico
American Petrofina Co. of Texas, Box 1311, Big Spring, Texas