

(Blincy-Granite Wash) Perfs 5511-7488; NO NEW PORTFOLIO

4-4-6] NM
10-30-025-70351-82

COUNTY	LEA	FIELD	Wildcat	STATE	NM
OPR	HANSON, ERNEST A.				MAP
	1 Gutman, Max				
	Sec. 19, T-22-S, R-38-E				CO-ORD
	560' ESL, 660' FWL of Sec.				MN 21760
	Spd 6-7-66; Cmp 7-21-66 (Bli);				
	Cmp 7-21-66 (Gr W)				
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
13 3/8" 111' 100					
8 5/8" 1170' 450					
5 1/2" 7328' 700					
LOGS EL GR RA IND HC A					
	TD 7328', PBD 7319'				
IP Blinebry Perfs 5511-5619', Flwd 72 BOPD. Pot. Based on 24 hr test thru 16/64" chk., Gravity 38., GOR 3271.					
IP Granite Wash Perfs 7292-7308' Flwd 130 BOPD. Pot. Based on 24 hr test thru 10/64" chk., TP 290#, Grav. 40., GOR 1405.					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT.	PROP DEPTH 7300'				TYPE
DATE					

F.R. 4-21-66
 PD 7300' - Wichita Albany
 6-13-66 Drlg. 850'.
 6-20-66 Drlg. 3205'.
 6-27-66 Drlg. 4832'.
 7-5-66 Drlg. 6120' (tight)
 7-11-66 Drlg. 6868' (tight)
 7-18-66 TD 7328', WOC (tight)
 7-25-66 TD 7328', tight.
 8-1-66 TD 7328', tight.
 8-8-66 TD 7328', tight
 8-15-66 TD 7328', PBD 7319', COMPLETE.
 Perf (Granite Wash) @ 7292', 7294', 7296',
 7298', 7300', 7302', 7304', 7308' W/I SPI
 Perf (Blinebry) @ 5511', 5521', 5526', 5535',
 5542', 5554', 5560', 5564', 5575', 5579',
 5585', 5590', 5595', 5601', 5611', 5619'
 W/I SPI

LEA Wildcat NM
HANSON, ERNEST A. #1 Gutman, Max

Sec. 19-22S-38E
Page #2

8-15-66

Cont.

Acid (5511-5619') 2500 gals.

Acid (7292-7308') 1500 gals.

LOG TOPS: Anhydrite 1154', Yates 2524',
Queen 3347', Grayburg 3695', San Andres
3905'

(Holding for additional information)

9-26-66

TD 7328', PBD 7319', Completion Reported.
Cores, DST's & L/Log Tops will not be
released.