

SPD		WELL CLASS:		INT.		DX		FIN		DG	
CSG		FORMATION		DATUM		FORMATION		FORMATION		DATUM	
TD 7260' (MNTY)						PBD 7085'					

IP (Drinkard) Perfs 6325-6572' F 1997 MCEGPD. Pot based on 24 hr
test thru 20/64" chk. TP 1450#

CONTR OPR'S ELEV 3394⁰ GL PD 6572⁰ WO

7-2-9 NM

COUNTY LEA FIELD Blinebry & Drinkard STATE NM
OPR GULF OIL CORP. API MN 22382
NO 11 LEASE Cole, R. E. (NCT-A) MAP
Sec 16, T22S, R37E CO-ORD
1980 FSL, 1980 FSL of Sec Re- 11-3-42 NM
3 mi S/Eunice SPD 3-21-81 CMP 3-22-81

CSG 9 5/8-1186-400 sx 7-7259-775 sx	WELL CLASS: INIT DX FIN DO LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
TD 7260 (MNTY)			PBD 7085	

IP (Blinebry-Drinkard) Perfs 5454-6572 P 36 BOPD + 2 BW. Pot based on 24 hr test. GOR 4722; gty (NR)

CONTR OPRS LLEV 3394 GL sub-s

F.R.C. 11-21-81 OWWO
PD 7085 WO (Blinebry-Drinkard)
(Orig. comp 2-1-68 thru (Montoya) Perfs 7204-29,
OTD 7260, OPB 7231; OWW & Re-Cmp 12-14-71 thru
(Blinebry) Perfs 5454-5716, OTD 7260, OPB 5800;
OWWO & Re-Cmp 3-6-75 dual thru (Blinebry) Perfs
5454-5716 & (Drinkard) Perfs 6325-6572, OTD
7260, OPB 7085)
11-16-81 TD 7260; PBD 7085; Complete
Downhole Commingling of Drinkard & Blinebry
No New Work Performed
11-21-81 COMPLETION ISSUED
11-3-42 NM
IC 30-025-70665-81

COUNTY	LEA	FIELD	Cary	STATE	NM
OPR	GULF OIL CORP.				MAP
	11 Cole, R. E. (NCT-A)				
	Sec. 16, T-22-S, R-37-E				CO-ORD
	1980' FSL, 1980' FEL of Sec.				30-025-22382
	Spd 1-4-68		CLASS		
	Cmp 2-1-68		FORMATION	DATUM	FORMATION
CSG & SX - TUBING					
LOGS EL GR RA IND HC A			TD 7260'; PED 7231'		

IP Montoya Perfs 7204-29' Swbd 223 BOPD + 72 BW. Pot. Based on 7 hr test of 65 BO + 21 BW.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Sharp Drlg. Co. PROP DEPTH 7400' TYPE RT
DATE

F.R. 1-4-68; Elev. 3394' GL
PD 7400' - Montoya
Contr. - Sharp
1-8-68 Drlg. 1275' anhy & salt.
1-15-68 Drlg. 5011' lm.
Lost circ 4200-4500'
1-22-68 Drlg. 7000' lm & sh.
Mudded up @ 6600'
1-29-68 TD 7260', PED 7231', prep perf.
2-5-68 TD 7260', PED 7231', SI.
Perf 7204-06' W/4 SPF
Acid (7204-06') 2000 gals.
Swbd 29 BLW + 12 BAW in 3 hrs (7204-06')

2-5-68

Cont.

Acid (7204-06') 2000 gals.

Swbd 33 BO + 65 BLW in 10½ hrs (7204-06')

Acid (7204-06') 6000 gals.

Swbd 54 BO + 30 BLW + 76 BAW in 10 hrs.

2-12-68

TD 7260', PBD 7231', SI.

Swbd 43 BO + 5 BAW in 7½ hrs (7204-06')

Perf 7214-16', 7227-29' W/2 SPF

Acid (7214-29') 2000 gals.

2-19-68

Swbd 65 BO + 21 BW in 7 hrs (7214-29')

TD 7260', PBD 7231', SI.

Swbd 50 BO + 17 BLW in 4 1/2 hrs

Flwd 19 BO in 2½ hrs.

2-26-68

TD 7260', PBD 7231', MI Pumping Equip.

3-4-68

TD 7260', PBD 7231', COMPLETE

LOG: Yates 2547', Queen 3338', Grayburg
3613', SA 3907', Glor 5054', Blinbry
5336', Abo 6660', B/Permian 7187'.