

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
J.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease

State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
SEE APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator SAMEDAN OIL CORPORATION	8. Farm or Lease Name Boyd
3. Address of Operator 900 Wall Towers East - Midland, TX 79701	9. Well No. 2
4. Location of Well UNIT LETTER <u>J</u> <u>1650</u> FEET FROM THE <u>South</u> LINE AND <u>2090</u> FEET FROM THE <u>East</u> LINE, SECTION <u>23</u> TOWNSHIP <u>22S</u> RANGE <u>37E</u> N.M.P.M.	10. Field and Subunit or Well Unit Drinkard
11. Elevation (Show whether DF, RT, GR, etc.) 3319.9 GR	12. County LEA

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING TAYING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
RE-DRILL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

13. Give details of work or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. SEE RULE 103.)

Set cement plug from 5358' back to 3908' with 350 sacks of Class "C" cement. Cement squeezed with 100 sacks of Class "C" cement into leak at 2892' to 2904'. Perforated at 1150' and squeezed with 600 sacks of Class "C" cement with 3% CaCl and 200 sacks of thick set cement with 2% CaCl. Perforated at 300' with no water flow and pumped 35 sacks of Class "C" cement with 2% CaCl from 350'. Circulated 4 sacks to pit. Set dry hole marker and cleaned location. Began plugging operations 5-5-81 and completed 5-19-81. Location is ready for inspection.

14. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ken Hopkins Ken Hopkins TITLE DIVISION CLERK DATE May 28, 1981

APPROVED BY [Signature] TITLE [Signature] DATE [Signature]

CONDITIONS OF APPROVAL, IF ANY: