

COUNTY LEA FIELD Wildcat STATE NM 30-025-22768

CPR SOLAR OIL CO. MAP

1 G.P.S.-Federal

Sec 6, T-22-S, R-38-E CO-ORD

660' FSL, 1980' FEL of Sec.

Spd 9-14-68

Cmp 1-13-69

CLASS	EL	
	FORMATION	DATUM
CEG & SX - TUBING		
10 3/4" at 850' w/400 sx		
7 5/8" at 7375' w/300 sx		

TD 7375'; PBD 7335'

TP (Abo) Perfs 7089-7292' P 70 BOPD + 38 BW. Pot based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

PROP DEPTH 7400' TYPE

F.R. 9-26-68
PD 7400' (Abo)
3-6-69 AMEND FIELD NAME: Formerly reported as Undesignated.
10-3-68 AMEND TO ADD REFERENCE NO.
10-1-68 TD 5870'; Trip
10-7-68 TD 6295'; Fshg
10-15-68 Drlg. 7067' lm
10-21-68 TD 7375'; WOC
10-29-68 TD 7375'; Prep Perf
11-6-68 TD 7375'; PBD 7335'; (Tight)
Perf 7265-92' (overall)
Acid (7265-92') 250 gals
Frac (7265-92') 30,000 gals wtr + 30,000# sd
Perf 7089-7144' (overall)
Acid (7089-7144') 250 gals
Frac (7089-7144') 28,000 gals wtr + 25,000# sd

LEA
SOLAR OIL CO.

Wildcat NM Sec 6, T-22-S, R-38-E
1 G.P.S.-Federal Page 2

11-25-68	TD 7375'; PBD 7335'; Tight
12-23-68	TD 7375'; PBD 7335'; Tight
1-5-69	TD 7375'; Tight (Final posting until Complete)
1-20-69	TD 7375'; PBD 7335' (Holding for Dual Completion,
3-3-69	TD 7375'; PBD 7335'; COMPLETE
	Well Drilled Tight
3-5-69	COMPLETION REPORTED.

OWWO
STATE NM 30-025-22768
COUNTY LEA FIELD Blinetry & / Undesignated MAP
O.R. SOLAR OIL CO.
1 Federal C. P. S.
Sec 6, T-22-S, R-38-E
660' FSL, 1980' FEL of Sec.

Re-Cmp 1-2-69	CLASS		OWDF	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 10 3/4" at 850' w/400 sx 7 5/8" at 7375' w/300 sx				
LOGS EL GR RA IND HC A	TD 7375'; PBD 7335'			

IF (Blinetry) Perfs 5828-6332' P 20 BOPD + 30 EW. Pot based on
24 hr test. GOR 2450; Grav 37.4.

(Also) Perfs 7089-7292' NO CHANGE.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 6332' TYPE WD

9-17-69 F.R.C. 9-18-69; Opr's Elev. 3366' Dr
PD 6332' WO (Blinetry)
(Orig. comp 1-13-69 thru (Also) Perfs 7089-7292',
OTD 7375', OPB 7335')
TD 7375'; PBD 7335'; COMPLETE
Perf 6225-6332' w/12 shots (overall)
Acid (6225-6332') 1500 gals
Frac (6225-6332') 30,000 gals wtr + 50,000# sd
Perf 6093-6194' w/11 shots (overall)
Perf 6013-68' w/9 shots (overall)
Acid (6013-6194') 3000 gals (2 stages)
Frac (6013-6194') 40,000 gals wtr + 52,000# sd
Perf 5828-5985' w/23 shots (overall)
Acid (5828-5985') 3000 gals
Frac (5828-5985') 40,000 gals + 53,700# sd
9-18-69 COMPLETION REPORTED