

COUNTY LEA FIELD Drinkard STATE NM  
 R GULF OIL CORP. API 30-025-23044  
 NO 13 LEASE Cole, R.E. (NCT-A) MAP  
Sec 16, T22S, R37E COORD  
910 FSL, 2130 FEL of Sec 8-4-9 NM  
3 mi S/Eunice RE SPD 7-12-82 RE CMP 7-27-82

SG

8 5/8-1157-525 sx  
 5 1/2-7340-1120 sx  
 2 7/8-6904

| WELL CLASS: INIT |       | DXFIN | DO LSE. CODE |       |
|------------------|-------|-------|--------------|-------|
| FORMATION        | DATUM |       | FORMATION    | DATUM |
|                  |       |       |              |       |
|                  |       |       |              |       |
|                  |       |       |              |       |
|                  |       |       |              |       |
| TD 7340 (MNTY)   |       | PBD   | 7120         |       |

IP (Drinkard) Perfs 6453-6889 P 39 BOPD + 33 BW. Pot based  
 on 24 hr test. GOR 700; gty (NR)

CONTR

OPRSHEV 3381 GL

sub-s

8-23-82 F.R.C. 8-28-82 OWWO  
 PD 7120 WO (Drinkard)  
 (Orig. Cmp 3-29-69 thru (Silurian) Perfs 7170-7204,  
 OTD 7340, OPB 7322; OWWO & D&A 1-28-82, OTD 7340)  
 TD 7340; PBD 7120; Complete  
 CO to 7120  
 Perf (Drinkard) 6453-55, 6746-48, 6785-87, 6860-62,  
 6887-89 w/2 SPF  
 Acid (6453-6889) 1000 gals  
 Frac (6453-6889) 18,000 gals + 23,250# sd  
 LOGS RUN: GRL, CCL  
 8-28-82 COMPLETION ISSUED

8-4-9 NM  
 IC 30-025-70686-82

COUNTY **LEA** FIELD **Cary** STATE **NM**  
 OPR **GULF OIL CORP.** AP. **30-025-23044**  
 NO **13** LEASE **Cole, R. E. (NCT-A)** MAP  
**Sec 16, T22S, R37E** (COLOR)  
**910 FSL, 2130 FEL of Sec** **2-4-60 NM**  
**3 ml S/Eunice** RE SPD **12-21-81** RE MP **1-28-82**

CSG  
 8 5/8-1157-523 SX  
 3 1/2-7340-1120 SX

| WELL      | CLASS | INIT  | DX | FIN       | D | LSE   | CODE |
|-----------|-------|-------|----|-----------|---|-------|------|
| FORMATION |       | DATUM |    | FORMATION |   | DATUM |      |
|           |       |       |    |           |   |       |      |
|           |       |       |    |           |   |       |      |
|           |       |       |    |           |   |       |      |
| TD        |       |       |    |           |   |       |      |

**7340 (MNTY)**

PHD

**DRY & ABANDONED**

CONTS

OPERATES **3381 GL**

**sub-s**

2-22-82  
 F.O.C. 2-27-82 OWWO  
 PD 7300 WO (Montoya)  
 (Orig. emp 3-29-69 thru (Silurian) Perfs 7170-7204,  
 OPD 7340, OPB 7322)  
 TD 7340; Dev & Abandoned  
 Acc @ 7120  
 Spd (7170-7204) 300 sx  
 DOC re 7300  
 Perf (Montoya) 7244-46, 7258-60, 7274-76  
 w/2 SPF  
 Acid (7244-76) 300 gals  
 Fpd 1 BW w/NS in 24 hrs (7244-76)  
 2-22-82 COMPLETION ISSUED

2-4-60 NM  
 IC 30-025-70188-82

COUNTY LEA FIELD McCormick, S. STATENM 30-025-23044

OPR GULF OIL CORP. MAP  
13 Cole, R. E. (NCT-A)  
Sec 16, T-22-S, R-37-E CO-ORD  
910' FSL, 2130' FEL of Sec.

Spd 3-3-69 CLASS  
Cmp 3-29-69  
CSG & SX TUBING  
8 5/8" at 1157' w/525 SX  
5 1/2" at 7340' w/1120 SX  
LOGS EL GR RA IND HC A

IP (Silurian) Perf 7170-7204' F 510 LQPT. Per based on 12 hr  
test thru 16/64" chk, TP 675#.

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Johnn Drlg. Co. PROP DEPTH 7350' TYPE  
DATE

4-3-69 F.R. 3-4-69  
3-4-69 PD 7350' (Silurian)  
3-11-69 Contractor - Johnn Drlg. Co.  
3-18-69 AMEND FIELD NAME, Formerly reported as  
3-25-69 Undesignated.  
3-31-69 Drlg. 640'  
Drlg. 3910'  
Drlg. 6221' 1m  
Drlg. 7225'  
TD 7340'; PBD 7322'; COMPLETE  
Perf 7170-72', 7182-84', 7202-04' w/4 SPF  
Acid (7170-7204') 250 gals  
LOG TOPS: Anhydrite 1111', Yates 2547',  
Queen 3450', San Andres 3994', Glorieta 5048',  
Abo 6622', Silurian 7156', Montoya 7227'  
4-3-69 COMPLETION REPORTED