

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Morris R. Antweil	8. Farm or Lease Name Shell "G"
3. Address of Operator Box 2010, Hobbs, New Mexico 88240	9. Well No. 1
4. Location of Well UNIT LETTER P 330 FEET FROM THE South LINE AND 330 FEET FROM THE East LINE, SECTION 8 TOWNSHIP 22-S RANGE 37-E NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3411' KB	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Completion Operation

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 7424'. PBTD 7389'. Spotted 500 gals 15% acid in hole. Perforated @ 7349', 7326', 7320', 7275' and 7255' with 2 jet shots at each depth point. Treated perfs with 500 gals. acid with 2600 psi @ 3 b/m. In 8-1/2 hrs. swabbed 155 bbls. water. Final rate 22 bbls/hr. Final FL 4200'. Chlorides 35,000 ppm. Attempted to swab test perfs @ 7320', 7326', and 7349', but had communication with upper perfs. Squeezed all perfs with 150 sx. cement with 150 sx. cement to 3200 psi. Reversed out 12 sx. WOC. Prep to drill out and reperfurate.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u><i>R. M. Williams</i></u>	TITLE <u>Agent</u>	DATE <u>11-18-69</u>
APPROVED BY <u><i>John W. Runyan</i></u>	TITLE <u>Geologist</u>	DATE <u>11-18-69</u>
CONDITIONS OF APPROVAL, IF ANY:		