V
---

2. Name Operator  John 1. Jendrix  1. Address of Operator  John 1. Jendrix  1. Address of Operator  John 1. Jendrix  1. Address of Operator  John 1. Jendrical Dide. Address of Dide. Address of Operator  John 1. Jendrical Dide. Address of Dide. Address of Operator  John 2. Jendrical Dide. Address of Dide. Address of Operator  John 2. Jendrical Dide. Address of Dide	DISTRIBUTION SANTA FE FILE U.S.G.S. LAND OFFICE OPERATOR  APPLICATION  Ia. Type of Work  b. Type of Well	N FOR PERMIT TO I	DRILL, DEEPEN, OF		5A. Indicate state [ 5. State Oil 7. Unit Agree	Type of Lease  FEE  & Gas Lease No.  Dement Name  Lease Name
2. Name of Operator  John II. Hendrix  3. Address of Operator  10. Field and Pool, or Wildow  11. Location of Well  12. County  13. Address of Operator  13. Address of Operator  14. Location of Well  15. Proposed Death  16. Location of Well  17. Proposed Death  18. Proposed Death  19. Proposed Death		OTHER	SII		PLE ONE	2.01. #3#
33. Address of Operators  31. Centrel alde, cidland, Taxas 7970 4. Location of Well Line Line  2080  2080  2080  2080  2080  21. Elevations (Show whether DE, RT, etc.) 21. A Kund & Status Play, Bond 21. Elevations (Show whether DE, RT, etc.) 22. PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  12. Elevations (Show whether DE, RT, etc.) 22. PROPOSED CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  12. Elevations (Show whether DE, RT, etc.) 22. PROPOSED CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  23. SIZE OF HOLE  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  24. HOURS PRIOR TO RUNNING  25. SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  26. SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  27. TOR  APPROVAL VALID  FOR 90 DAYS UNITED  CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  26. SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  27. TOR  APPROVAL VALID  APPROVAL VALID  FOR 90 DAYS UNITED  CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  CASING WEIGH		OTHER			9. Wen No.	
21. Elevations (Show whether DF, RT, etc.)  21. Elevations (Show whether DF, RT, etc.)  22. Approval provided and proposed process of the complete to the best of my knowledge and hellef.	3. Address of Operator  316 Central 316  4. Location of Well UNIT LETTE	ic. idland.	330 FEE		LINE DATE	nd Pool, or Wildcat
21. Elevations (Show whether DF, RT, etc.)  21. Elevations (Show whether DF, RT, etc.)  22. Approval provided and proposed process of the proposed proposed process of the proposed process of the proposed process of the proposed proposed proposed proposed proposed proposed process of the proposed						HHHHH Am
21. Elevations (Show whether DF, RT, etc.)  21. Elevations (Show whether DF, RT, etc.)  22. Approval proposed casing and cement program  23. PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	HHHHHHH	HHHHH				
21. Elevations (Show whether DE, RT, etc.)  21. PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEPTH SACKS OF CEMENT EST. TOP  12. SACKS OF CEMENT EST. TOP  13. SACKS OF CEMENT EST. TOP  14. SACKS OF CEMENT PROGRAM  15. SACKS OF CEMENT EST. TOP  16. SACKS OF CEMENT EST. TOP  17. SACKS OF CEMENT PROGRAM  17. SACKS OF CEMENT PROGRAM  17. SACKS OF CEMENT PROGRAM  18. SACKS OF CEMENT PROGRAM  18. SACKS OF CEMENT PROGRAM  19.			HHHHHH	Proposed Depth 19	A. Formation	20. Rotary or C.T.
APPROVAL VALID FOR 90 DAYS UNLESS IDENTIFIED				7000	A . 2	
PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  121	21 Flevations (Show whether DE	RT, etc.) 21A. Kind	& Status Plug. Bond 211	3. Drilling Contractor	ZZ. Appro	Date Work will start
PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  12  APPROVAL VALID  FOR 90 DAYS UNLESS ; DRILLING COMMENCED,  JAMES COMMENCED,  CASING.  THE COMMISSION MUST BE NOTIFIED  24 HOURS PRIOR TO RUNNING  CASING.  IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW  TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  Thereby certify that the information above/fa true and complete to the best of my knowledge and belief.	1	· · · · · · · · · · · · · · · · · · ·			hor.	12 1071
APPROVAL VALID FOR 90 DAYS UNLESS DRILLING COMMISSION MUST BE NOTIFIED  124 DAYS UNLESS DRILLING COMMISSION CASING.  THE COMMISSION MUST BE NOTIFIED  24 HOURS PRIOR TO RUNNING  CASING.  IN A BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW  TIME ZONE STATEMENT PROPOSED PROGRAM. IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW  TIME ZONE STATEMENT PROPOSED PROGRAM. IF PROPOSED PR						~~; ~/!~
APPROVAL VALID  FOR 90 DAYS UNLESS IDRILLING COMMISSION, MUST BE NOTIFIED  APPROVAL VALID  FOR 90 DAYS UNLESS COMMISSION MUST BE NOTIFIED  APPROVAL VALID  FOR 90 DAYS UNLESS COMMISSION MUST BE NOTIFIED  24 HOURS PRIOR TO RUNNING  CASING.  IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE, GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  Thereby certify that the information above to true and complete to the best of my knowledge and belief.					SA SIKS OF STAFAIT	EST TOP
APPROVAL VALID  FOR 90 DAYS UNLESS ; DRILLING COMMSTICED,  APPROVAL VALID  THE COMMISSION MUST BE NOTIFIED  24 HOURS PRIOR TO RUNNING  CASING.  IN A BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE. GIVE BLOWGUT PREVENTER PROGRAM, IF ANY.  I hereby certify that the information above As true and complete to the best of my knowledge and belief.	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	E31. 101
APPROVAL VALID  FOR 90 DAYS UNLESS ; DRILLING COMMERCED,  24 HOURS PRIOR TO RUNNING  CASING.  IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIME ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  I hereby certify that the information above to true and complete to the best of my knowledge and belief.  Date  Date	12	8 5/8	24/ 1/20/	1250	550	To Circulate
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW TIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  I hereby certify that the information above to true and complete to the best of my knowledge and belief.  Date  Date	7.7/8	<del>  5 1/2  </del>	15.5# & 17#	7000	550	4000
I hereby certify that the information above to true and complete to the best of my knowledge and belief.  Date	FO7 1119 <b>0 :</b>	90 DAYS UNLESS		24 HOURS PI	SION MUST BE RIOR TO RUNNI	NOTIFIED NG.
(This space for State Use)	I hereby certify that the informa  Signed  (This space for	tion above a true and con	Title	owledge and belief.	Date No.	EC 3 197

RECEIVED

000 3 1971

OIL CONSERVATION COMM. HOBBS, N. 14.

## NEW XICO OIL CONSERVATION COMMISSIO. WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

					<del></del>
Operator JOHN H. HENDRIX			COSSATO	Well No.	
Unit Letter	Section	Township	Ronge	County	
N	12	22 South	37 EAST	LEA	think the country wheelers were the country to the country of the
Actual Footage Lo			•	14/	
330 Ground Level Elev			2080 fee ∞1	et from the WEST	Dedicated Acreage:
Glound Epver Ero		Y & DRINKARD	BLENEBRY & DRI	NKARD	40.0 Aurtia
1 Outline t	he acreage dedica	ted to the subject well	by colored pencil of	or hachure marks on t	he plat below.
2. If more tinterest s	han one lease is ind royalty).	dedicated to the well,	outline each and ide	entify the ownership (	thereof (both as to working fall owners been consul-
dated by Yes If answer this form No allowa	No If a is "no," list the if necessary.)	unitization, force-pooling nswer is "yes," type of c owners and tract descrip	consolidation otions which have a 	ctually been consolic	
sion.			i		CERTIFICATION
		REG. PROP.	CHGINEER & LANDS	tained h	certify that the information concern is true and complete to the my knowledge and belief.  COR  HENDRIX  MBER 17, 1971
	HIS LOCATION I	s 0.4 FEET LOWER T	WEST -	shown o notes of under m is true	y certify that the well locution in this plat was plotted from field fractual surveys made by me any supervision, and that the same and carrect to the best of my ige and belief.
2		O 231C 2040 2000	1800 1000	Registered	EMBER 16, 1971  Professional Engineer  Ind Surveyor  Index (4)   Next

## RECEIVED

OIL CONSERVATION COMM. HOBBS, N. M.